

**REFERENCES PROVIDED BY COMMENTORS
DURING SCOPING FOR THE OIL SHALE AND TAR
SANDS LEASING PROGRAMMATIC EIS**

March 10, 2006

This is a list of references and data sources identified to the U.S. Bureau of Land Management (BLM) in comments received during the public scoping phase of the *Oil Shale and Tar Sands Resources Leasing Programmatic Environmental Impact Statement (PEIS)*. This list presents the identified resources as they were submitted to the BLM. It has not been edited to remove duplications or to ensure that the citations are correct and/or complete. In preparation of this PEIS, this list will be reviewed to identify those resources that are appropriate for incorporation into the analyses.

REFERENCE LIST A

BIBLIOGRAPHY

REPORTS AND PUBLICATIONS

BLM White River Resource Area, Colorado: Piceance Basin Resource Management Plan Record of Decision (May 1987).

BLM White River Resource Area, Colorado: Piceance Basin Resource Management Plan Final Environmental Impact Statement (March 1985).

BLM White River Resource Area, Colorado: Resource Management Plan and Final Environmental Impact Statement (June 1996).

BLM White River Resource Area, Colorado: Oil Shale Withdrawal Revocation Environmental Assessment Record (November 2001).

DOCUMENTS ON ATTACHED CD (*incorporated herein by reference*)

1. Harding, B.L., *et al.*, "Removal of Ammonia and Alkalinity from Oil Shale Retort Waters" (1979).
2. Linstedt, K.D. *et al.*, "Characterization and Treatment of Retort Water from In-Situ Oil Shale Processing" (1976).
3. Lovins, Amory B., "Winning the Oil Endgame" (2004.) Available at: <http://www.oilendgame.com/>.
4. Office of Technology Assessment, "An Assessment of Oil Shale Technologies" (1980). Available at: http://www.wws.princeton.edu/ota/ns20/year_f.html.
5. Office of Technology Assessment, "An Assessment of Oil Shale Technologies, Volume II: A History and Analysis of the Federal Prototype Leasing Program" (1980). Available at: <http://www.wws.princeton.edu/ota/disk3/1980/9582/9582.PDF>.
6. RAND Corporation, "Oil Shale Development in the United States" (2005). Available at: http://www.rand.org/pubs/monographs/2005/RAND_MG414.pdf.
7. Udall, Randy, "The Illusive Bonanza: Oil Shale in Colorado" (2005). Available at: <http://www.aspencore.org/images/pdf/OilShale.pdf>.

8. Woynillowicz, Dan, *et al.*, “Oil Sands Fever” (2005) Available at: http://pembina.org/publications_item.asp?id=203
9. Youngquist, Walter “Shale Oil -The Elusive Energy” (1998). Available at: http://hubbert.mines.edu/news/Youngquest_9804.pdf.

DOCUMENTS ATTACHED (incorporated herein by reference)

1. *Regional Economic Impacts of a U.S. Oil Shale Industry*, by John J. Ryan and John G. Welles (Industrial Economics Division, Denver Research Institute of University of Denver) (1966) (DPL #C338.2 E955re).
2. *Report on Economics of Environmental Protection for a Federal Oil Shale Leasing Program*, by Special Committee of Governor’s Oil Shale Advisory Panel for the Director of Natural Resources of the State of Colorado (1971) (DPL # C333.8232 R299).
3. *Community Development Studies*, by Denver Research Institute and Norman Wengert for Colony Development Corporation (1974) (DPL #C309.1788 D437).
4. *An Environmental Impact Analysis for a Shale Oil Complex at Parachute Creek, Colorado, Vol. III: Socio-Economic Analysis & Off-Site Development*, by Colony Development Operation (1974) (DPL #628.1683 S989oi).
5. *First Year Environmental Baseline Report, Vol. II*, by White River Shale Project (1976) (DPL #I535.2:0:5z/15/976/v.2).
6. *Rio Blanco Oil Shale Project: Social and Economic Impact Statement for Tract C-a*, by Gulf Oil Corporation and Standard Oil Company (1976) (DPL #I19.2: R47Z/5/976).
7. *Oil Shale Tract C-b: Detailed Development plan and Related Materials*, (1976) (DPL I53.2Oi5z/976).
8. *Socioeconomic Assessment Vol. II: Impact Analysis, Oil Shale Tract C-b*, (1976) (DPL #I53.2:Oi5z/10/976/v.2).
9. *Proceedings from The Second Pacific Chemical Engineering Congress*, (1977).
 J.E. Sinor, *Disposal of Mine Water From a Deep Oil Shale Mine*, Proceedings of the Second Pacific Chemical Engineering Congress, Denver CO (August 1977).
 • Gary Amy & Jerome Thomas, *Factors that Influence the Leaching of Organic Material from In-Situ Spent Shale*, Proceedings of the Second Pacific Chemical Engineering Congress, Denver CO (August 1977)
 • H.W. Parker, R.M. Bethea, N. Guven, M.N. Gazdar, and J.C. Watts, *Interactions Between Ground Water and In-Situ Retorted Oil Shale*, Proceedings of the Second Pacific Chemical Engineering Congress, Denver CO (August 1977).
10. *Oil Shale 1978*, by Colorado Energy Research Institute, contracted by Energy Development Consultants, Inc. (1978) (DPL #C333.823 O3952).

11. Study Evaluates Treatments for Oil Shale Retort Waters, B.L. Harding, et al., Industrial Wastes V24 No. 5 (1978).
12. Wet Oxidation and Distillation Treatment of Oil Shale Retort Wastewaters, by E.R. Bennett, et al. (1979).
13. Inventory, Food Habits, and Trace Element Levels of Selected Fauna of Colorado's Oil Shale Region, by Lavern H. Stelter (1979) (DPL #C591.727 5799in).
14. Technology Assessment of Oil Shale Development, by Thomas A. Sladek et al., published by Colorado School of Mines Research Institute (1980) (DPL #CD Mis20.3 Oi5).
15. Oil Shale Tax Study (Executive Summary), by Peat, Marwick, Mitchel and Co., prepared for Rocky Mountain Oil and Gas Association Committee on Oil Shale (1980) (DPL #C343.730926 E96).
16. Surface Mining of Non-Coal Minerals, Appendix II: Mining and Processing of Oil Shale and Tar Sands, by National Academy of Sciences (1980) (DPL #333.823 N213mi).
17. Oil Shale 1982: A Technology and Policy Primer, by Colorado Energy Research Institute and Colorado School of Mines Research Institute (March 1981) (DPL #333.823 O396).
18. Colorado Oil Shale Development Scenarios 1981-2000, by Colorado Energy Research Institute, Colorado School of Mines (prepared for Governor's Blue Ribbon Panel, March 1981) (DPL # C553.283097 C719).
19. Environmental Assessment: Perspective on the Emerging Oil Shale Industry, by Colorado Energy Research Institute, published by U.S. Environmental Protection Agency (1981) (DPL # EP7.2: OiZ/981).
20. Role of Vocational Education in Manpower Planning for the Colorado Oil Shale Industry, by Richard Lance Cinkel (1981) (DPL #C331.129655 C491).
21. Oil Shale: The Environmental Challenges II, Proceedings of International Symposium, edited by Kathy Kellog Peterson, Oil Shale Task Force, University of Colorado at Denver (1982) (DPL #665.4 O384).
22. Report: Electricity Requirements for Oil Shale Development in Western Colorado, by Colorado Energy Research Institute (1982) (DPL # C333.7965 E38).
23. Final Environmental Impact Statement, Clear Creek Shale Oil Project, by U.S. Dept. of Interior (1983) (DPL #I53.19/2:c58Z/983)
24. White River Shale Project: Socioeconomic Monitoring Report, by White River Shale Oil Corporation (1984) (DPL #3338.232 J977oi).
25. Air Quality Technical Report for Mobil-Pacific Oil Shale Environmental Impact Statement, by Jay Dorian Jurie for Dames & Moore (1984) (DPL #I53.2:M71Z/984).

26. *Oil Shale in Western Colorado: Public Policy and Regional Development*, by Jay Dorian Jurie (1985) (DPL #3338.232 J977oi).

REFERENCE LIST B

Bartis, J. T. LaTourrette, L. Dixon, D. Peterson, and C. Cecchine. "Oil Shale Development in the United States: Prospects and Policy Issues. Report by Rand Infrastructure, Safety, and Environment. 2005.

REFERENCE LIST C

Harak, A.E., 2004, "Oil Shale – Take Another Look," EG&G, July.

REFERENCE LIST D

1. Kjell Aleklett, peak oil testimony, U.S. House Energy Committee December 7, 2005.
2. Robert Hirsch, et. al., Peaking Of World Oil Production: Impacts, Mitigation, & Risk Management, SAIC, February 2005.
3. Roger H. Bezdek, Peaking Of World Oil Production: Impacts and The Scope Of The Mitigation Problem, ASPO-USA World Conference, Denver, Colorado November 10-11, 2005.
4. Roscoe Bartlett interview with David Room, Global Public Media, March 27, 2005
<http://www.globalpublicmedia.com/transcripts/402>
5. Johnson, H. R., Crawford, P. M, and Bungler, J. W., principal authors, Strategic Significance of America's Oil Shale Resource, DOE Office of Naval Petroleum and Oil Shale Reserves, Anton Dammer, Director, Volume I – Assessment of Strategic Issues, March, 2004
<http://resourcescommittee.house.gov/subcommittees/emr/reports/doeoilshale1.pdf>
6. *ibid.* Volume II - Oil Shale Resources, Technology and Economics.
<http://resourcescommittee.house.gov/subcommittees/emr/reports/doeoilshale2.pdf>
7. Mike Ashar, Suncor Energy Inc., Conference on Energy in the North American Market: Innovation, Investment and a More Secure Future, June 12, 2003, Washington, DC. See also speech available at <http://www.suncor.com/speeches.aspx?ID=32>
8. Annual Energy Outlook, 2006, US Dept. of Energy, Energy Information Agency – 2006.
<http://www.eia.doe.gov/oiaf/aeo/pdf/earlyrelease.pdf>
9. Sec. 369, EPACT 2005, (i)(3) requires the Office of Petroleum Reserves to submit a report by February, 2006 that describes the activities of the Office in carrying out its statutory responsibilities, one of which (i)(1)(A) is to coordinate the creation and implementation of a commercial strategic fuel development program.
10. Alberta Oil Sands Technology Roadmap, Unlocking the Potential, Alberta Chamber of Resources, 2004.
http://www.acralberta.com/Projects/Oil_Sands_Technology_Roadmap/OSTR_report.pdf

11. Bunger, J. W., Crawford, P. M. and Johnson, H. R., Is Oil Shale America's answer to peak oil challenge? *Oil and Gas Journal*, August 9, 2004.
<http://www.fossil.energy.gov/programs/reserves/publications/Pubs-NPR/40010-373.pdf>
12. *Oil Shale Development in the United States Prospects and Policy Issues* James T. Bartis, Tom LaTourrette, Lloyd Dixon, D.J. Peterson, Gary Cecchine, **RAND Corporation** MG-414-NETL, 2005. http://www.rand.org/pubs/monographs/2005/RAND_MG414.pdf
13. Stringham, Greg The Canadian Oil Sands Opportunities and Challenges *Western Canada Oil Sands Summit* Canadian Association of Oil Producers
<http://www.capp.ca/raw.asp?x=1&dt=PDF&dn=97372>
14. Salt Lake Tribune, October 17, 2003, Page A-1
15. Lukens, Larry, personal communication, July, 2005.
16. Oil Sands Economic Impacts Across Canada – CERI Report, September 2005
<http://www.capp.ca/raw.asp?x=1&dt=NTV&e=PDF&dn=92079>

REFERENCE LIST E

ACIA. 2004. *Impacts of a Warming Climate: Arctic Climate Impact Assessment*. Cambridge University Press. Available at <http://amap.no/acia/>.

Bartis, J.T. 2005. Oil shale development in the United States: prospects and policy issues. The RAND Corporation. Available at http://www.rand.org/pubs/monographs/2005/RAND_MG414.pdf.

California Climate Action Registry. 2005. Forest Project Protocol. Available at http://www.climateregistry.org/docs/PROTOCOLS/Forestry/Forest_Project_Protocol_10.21.04.pdf.

Epstein, P.R. and E. Mills (eds.). 2005. Climate change futures health, ecological, and economic dimensions. The Center for Health and the Global Environment, Harvard Medical School. Cambridge, Massachusetts, USA. Available at <http://www.climatechange-futures.org/>. 142 pp.

Intergovernmental Panel on Climate Change (IPCC). 2001. *Climate Change 2001: Synthesis Report (Summary for Policymakers)*. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA. 34 pp. Available at <http://www.ipcc.ch/>. 34 pp.

Overpeck, J.T., M. Sturmfels, J.A. Francis, D.K. Perovich, M.C. Serreze, R. Benner, E.C. Carmack, F.S. Chapin III, S.C. Gerlach, L.C. Hamilton, L.D. Hinzman, M. Holland, M.P. Hutnington, J.R. Key, A.H. Lloyd, G.M. MacDonald, J. McFadden, D. Noone, T.D. Prowse, P. Schlosser, and C. Vörösmarty. Arctic system on trajectory to new, seasonally ice-free state. *Eos* 34:309-316. 3 pp.

Parmesan, C. and H. Galbraith. 2004. Observed impacts of global climate change in the U.S. Pew Center on Global Climate Change. Available at <http://www.pewclimate.org/docUploads/final%5FObsImpact%2Epdf>. 67 pp.

Pounds, J.A., et al. 2006. Widespread amphibian extinctions from epidemic disease driven by global warming *Nature* 439: 161-167. January 12, 2006.

Schellnhuber, H.J. (ed.) 2006. Avoiding dangerous climate change. Cambridge University Press, Cambridge, UK. Available at <http://www.defra.gov.uk/environment/climatechange/internat/dangerous-cc.htm>

Thomas, C.D., A. Cameron, R.E. Green, M. Bakkenes, L.J. Beaumont, Y.C. Collingham, B.F.N. Erasmus, M.F. de Siqueira, A. Grainger, L. Hannah, L. Hughes, B. Huntley, A.S. van Jaarsveld, G.F. Midgely, L. Miles, M.A. Ortega-Huerta, A. T. Peterson, O.L. Philips, and S.E. Williams. 2004. Extinction risk from climate change. *Nature* 427:145-148.

World Health Organization (WHO). 2002. The World Health Report 2002 (excerpt). Available at <http://www.who.int/whr/2002/en/index.html>. 4 pp.

Woynillowicz, D., C. Severson-Baker, and M. Raynolds. 2005. Oil sands fever The environmental implications of Canada's oil sands rush. The Pembina Institute. Available at <http://www.oilsandswatch.org/docs/osf-book.pdf>.

REFERENCE LIST F

DOE (2005) Electric Power Annual 2004, EIA Office of Coal, Nuclear, Electric, and Alternate Fuels, November, 2005
http://www.eia.doe.gov/cneaf/electricity/epa/epa_sum.html

RAND (2005) Oil Shale Development in the United States: Prospects and Policy Issues, RAND Corporation, December, 2005
<http://www.rand.org/pubs/monographs/MG414/>

WRAP (2006) Point and Area Source Emissions Projections for the 2018 Base Case Inventory, Version 1, Western Regional Air Partnership, January 25, 2006
<http://www.wrapair.org/forums/ssjf/documents/eiccts/index.html>

REFERENCE LIST G

1. US DOI, 1974, Prototype Oil Shale Leasing EIS
2. US DOE, Detailed Development Plans (submitted by each prototype lessee in Colo-Utah to Area Oil Shale Office)
3. Annual Reports by Lessees to Area Oil Shale Office (some 10-12 total)
4. EIS Federal Prototype Oil Shale Tract C-a "Offtract Lease" (For waste disposal 1985 USDOE-BLM)

5. Proceedings of the Oil Shale Task Force Annual Symposium (several) Co-sponsored by DOE and Colorado School of Mines Press (results by DOE and EPA research efforts)
6. Publications by the US Bureau of Mines (Laramie) and The Laramie Energy Research Center on Physical/Chemical Makeup of Oil Shale, retorting process and characteristics of resulting waste produced, and resource data and recovery of associated aluminum and sodium minerals.
7. USGS professional papers and other reports on the resource and on water in the basin (USGS pp 908, USGS PP-1310, USGS HA-370)

REFERENCE LIST H

J.W. Smith, Synfuels, Oil Shale, and Tar Sands, in Perspectives on Energy 3ed Edition, ed. L.C. Ruedisili and M.W. Firebaugh (New York, Oxford University Press 1982), 225-249.

Pipkin et al., Geology and the Environment (Belmont, California, Brooks/Cole-Thompson Learning, 4th Edition, 2005), 398-399.

C.W. Montgomery, Environmental Geology 5th Edition (New York, WCB McGraw-Hill 1997), 318-320.

U.S. Geological Survey, Heavy Oil and Natural Bitumen – Strategic Petroleum Resources, U.S. Geological Survey Fact Sheet FS-070-03 (2003), 2p.

The Association for the Study of Peak Oil and Gas, ASPO Newsletter 48 (December 2004). [Online] Available <http://www.asponews.org>

Richard Heinberg, Powerdown (Gabriola Island, Canada, New Society Publishers 2004), 119-121.

Woynilowicz, et al., Oil Sands Fever.

Illium, Oil-based Technology and Economy, 34

Youngquist, GeoDestinies, 215

K.S. Defeyes, *Beyond Oil: The View from Hubbert's Peak* (New York, Hill and Wang 2005), Chapter 6.

The Utah Wilderness Coalition web page (Map of the Utah BLM managed lands proposed for wilderness designation in America's Redrock Wilderness Act (in the 109th Congress – HR 1774/S.882) See <http://www.uwcoalition.org/>

REFERENCE LIST I

Lovins, A.B., et al., "Winning the Oil Endgame, Innovation for Profits, Jobs, and Security. Available at: www.oilendgame.com

REFERENCE LIST J

Heart of the West Coalition, "Heart of the West Conservation Plan, a Wildlands Network Vision for the Middle Rockies" produced by the Heart of the West Coalition, February 2004

REFERENCE LIST K

Longwell, J.P. et al., 1990, *Fuels to Drive Our Future*, prepared by the Committee on Production Technologies for Liquid Transportation Fuels, Energy Engineering Board, Commission on Engineering and Technical Systems, National Research Council, National Academy Press, Washington, D.C.

REFERENCE LIST L

References

- Abdel-Magid, A.H., M.J. Trlica, and R.H. Hart. 1987a. Soil and vegetation response to simulated trampling. *J. Range Manage.* 40:303-306.
- Abdel-Magid, A.H., G.E. Schuman, and R.H. Hart. 1987b. Soil bulk density and water infiltration as affected by grazing systems. *J. Range Manage.* 40:307-309.
- Agee, J.K. 1997. Fire management for the 21st century. Pp. 191-201 in *Creating a forestry for the 21st century*, K.A. Kohm and J.F. Franklin, eds. Washington, DC: Island Press.
- Agnew, W., D.W. Uresk, and R.M. Hansen. 1986. Flora and fauna associated with prairie dog colonies and adjacent ungrazed mixed-grass prairie in western South Dakota. *J. Range Manage.* 39:135-139.
- Aldridge, C. L. 1998. Status of the Sage Grouse (*Centrocercus urophasianus urophasianus*) in Alberta. Alberta Environmental Protection, Wildlife Management Division, and Alberta Conservation Association, Wildlife Status Report No. 13, Edmonton, AB. 23 pp.
- Alexander, R.R. 1966. Harvest cutting old-growth lodgepole pine in the central Rocky Mountains. *J. For.* 64:113-116.
- Alexander, R.R. 1967. Windfall after clearcutting on Fool Creek. USDA Forest Service Res. Note RM-92, 11 pp.
- Alexander, R.R. 1975. Partial cutting in old-growth lodgepole pine. USDA Forest Service Research Paper RM-136, 17 pp.
- Alexander, R.R. 1986. Silvicultural systems and cutting methods for old-growth spruce-fir forests in the central and southern Rocky Mountains. USDA Forest Service Gen. Tech. Rept. RM-126, 33 pp.
- Alexander, R.R., and C.B. Edminster. 1981. Management of lodgepole pine in even-aged stands in the central Rocky Mountains. USDA Forest Service Res. Paper RM-229, 9 pp.
- Alexander, R.R., R.C. Shearer, and W.D. Shepperd. 1984. Silvical characteristics of subalpine fir. USDA Forest Service Gen. Tech. Rept. RM-115, 29 pp.
- Allen, E.B., and L.L. Jackson. 1992. The arid West. *Restor. and Manage. Notes* 10:56-59.
- Anderson, D.C., K.T. Harper, and R.C. Holmgren. 1982a. Factors influencing development of cryptogamic soil crusts in Utah deserts. *J. Range Manage.* 35:180-185.
- Anderson, D.C., K.T. Harper, and S.R. Rushforth. 1982b. Recovery of cryptogamic soil crusts from grazing on Utah winter ranges. *J. Range Manage.* 35:355-359.
- Apple, L.L. 1985. Riparian habitat restoration and beavers. pp. 489-490 in *Riparian ecosystems and their management: Reconciling conflicting uses*. Proc. 1st N. Am. Riparian Conf., USDA Gen. Tech. Rept. RM-120.
- Aplet, G.H. 2000. A landscape approach to managing southern Rocky Mountain forests. Pp. 361-376 in *Forest fragmentation in the southern Rocky Mountains*, R.L. Knight, F.W. Smith, S.W. Buskirk, W.H. Romme, and W.L. Baker, eds. Boulder: University Press of Colorado.
- Armour, C., D. Duff, and W. Elmore. 1994. The effects of livestock grazing on Western riparian and stream ecosystems. *Fisheries* 19(9):9-12.
- Arno, S.F. 1980. Forest fire history in the northern Rockies. *J. For.* 78:460-465.
- Arno, S.F. 1983. Ecological effects and management implications of Indian fires. Pp. 81-86 in *Proceedings--Symposium and workshop on wilderness fire*. USDA Forest Service Gen. Tech. Rept. INT-182, 433 pp.
- Atwill, E.R. 1996. Assessing the link between rangeland cattle and water-borne *Cryptosporidium parvum* infections in humans. *Rangelands* 18(2):48-51.
- Aune, K.E. 1981. Impacts of winter recreationists on wildlife in a portion of Yellowstone National Park, Wyoming. M.S. Thesis, Montana State University.
- Autenreith, R. 1985. Sage grouse life history and habitat management. P. 52 in *Rangeland fire effects: A symposium*. Boise, ID: Bureau of Land Management.
- Autenreith, R., W. Molini, and C. Braun, eds. 1982. Sage grouse management practices. Western States Sage Grouse Committee Tech. Bull. No. 1, Twin Falls, ID, 42 pp.
- Baker, W.L. 1994. Landscape structure measurements for watersheds in the Medicine Bow National Forest. Unpublished report to the Routt--Medicine Bow National Forest, 115 pp.

- Baker, W.L., and K.F. Kipfmueller. 2001. Spatial ecology of pre-EuroAmerican fires in a Southern Rocky Mountain forest landscape. *Professional Geographer* 53(2):248-262.
- Baker, M.F., R.L. Eng, J.S. Gashwiler, M.H. Schroeder, and C.E. Braun. 1976. Conservation committee report on effects of alteration of sagebrush communities on the associated avifauna. *Wilson Bull.* 88:165-171.
- Baker, W.L., J.A. Munroe, and A.E. Hessel. 1997. The effects of elk on aspen in the winter range in Rocky Mountain National Park. *Ecography* 20(2):155-165.
- Balba, A.M. 1995. *Management of problem soils in arid ecosystems*. New York: Lewis Publishers, 250 pp.
- Barlocher, F., and J.H. Murdoch. 1989. Hyporheic biofilms--A potential food source for interstitial animals. *Hydrobiologia* 184:61-67.
- Barrett, M.W. 1982. Distribution, behavior, and mortality of pronghorns during a severe winter in Alberta. *J. Wildl. Manage.* 46:991-1002.
- Barrett, M.W. 1984. Movements, habitat use, and predation on pronghorn fawns in Alberta. *J. Wildl. Manage.* 48:542-550.
- Barrett, S.W., and S.F. Arno. 1982. Indian fires as an ecological influence in the northern Rockies. *J. For.* 80:647-651.
- Barrett, P.J., and O.E. Maughan. 1995. Spatial habitat selection of roundtail chub (*Gila robusta*) in two central Arizona streams. *Southw. Nat.* 40:301-307.
- Bartolome, J.W. 1993. Application of herbivore optimization theory to rangelands of the western United States. *Ecol. Appl.* 3(1):27-29.
- Baxter, G.T., and J.R. Simon. 1970. *Wyoming Fishes*. Wyoming Game and Fish Department, Cheyenne, WY. 168pp.
- Beale, D.M., and A.D. Smith. 1973. Mortality of pronghorn antelope fawns in western Utah. *J. Wildl. Manage.* 37:343-352.
- Beasom, S.L., L. LaPlant, and V.W. Howard. 1982. Similarity of pronghorn, cattle, and sheep diets in southeastern New Mexico. *Proc. Wildlife-Livestock Relations Symp.* 10:565-572.
- Beauvais, G.P., and R.S. Smith. 1999. Occurrence of breeding mountain plovers (*Charadrius montanus*) in the Wyoming Basins Ecoregion. Unpublished report to the Bureau of Land Management Rock Springs Field Office, 12 pp.
- Bechard, M.J., R.L. Knight, D.G. Smith, and R.E. Fitzner. 1990. Nest sites and habitats of sympatric hawks (*Buteo* spp.) in Washington. *J. Field Ornith.* 61:159-170.
- Beck, T.D.I. 1977. Sage grouse flock characteristics and habitat selection in winter. *J. Wildl. Manag.* 41:18-26.
- Beck, T.D.I., and C.E. Braun. 1980. The strutting ground count: Variation, traditionalism, and management needs. *Proc. Ann. Conf. West. Assn. Fish and Wildl. Agencies* 60:558-566.
- Behnke, R. J. 1992. *Native trout of western North America*. American Fisheries Society Monograph 6.
- Belnap, J. 1993. Recovery rates of cryptobiotic crusts: Inoculant use and assessment methods. *Great Basin Nat.* 53(1):89-95.
- Belnap, J. 1995. Surface disturbances: Their role in accelerating desertification. *Env. Monitor. Assess.* 37:39-57.
- Belnap, J. 1996. Soil surface disturbances in cold deserts: Effects on nitrogenase activity in cyanobacterial-lichen soil crusts. *Biol. Fertil. Soils* 23:362-367.
- Belnap, J. 2001. Biological soil crusts and wind erosion. Pp. 339-347 in *Biological soil crusts: Structure, function, and management*, J. Belnap and O.L. Lange, eds. Berlin: Springer-Verlag.
- Belnap, J., and D. Eldridge. 2001. Disturbance and recovery of biological soil crusts. Pp. 363-383 in *Biological soil crusts: Structure, function, and management*, J. Belnap and O.L. Lange, eds. Berlin: Springer-Verlag.
- Belnap, J., and D.A. Gillette. 1997. Disturbance of biological soil crusts: impacts on potential wind erodibility of sandy desert soils in southeastern Utah. *Land Degradation and Development* 8:355-362.

Belnap, J., and D.A. Gillette. 1998. Vulnerability of desert biological soil crusts to wind erosion: The influences of crust development, soil texture, and disturbance. *J. Arid Env.* 39:133-142.

Belnap, J., J.H. Kaltenecker, R. Rosentreter, J. Williams, S. Leonard, and D. Eldridge. 2001. Biological soil crusts: Ecology and management. USDI Tech. Ref. 1730-2, 110 pp.

Belsky, A.J. 1986. Does herbivory benefit plants? A review of the evidence. *Am. Nat.* 127:870-892.

Belsky, A.J. 1987. The effects of grazing: Confounding of ecosystem, community, and organismal scales. *Am. Nat.* 129:777-783.

Belsky, A.J. 1996. Viewpoint: Western juniper expansion: Is it a threat to arid northwestern ecosystems? *J. Range Manage.* 49:53-59.

Belsky, J., A. Matzke, and S. Uselman. 1997. Survey of livestock influences on stream and riparian ecosystems in the western United States. Unpublished report of the Oregon Natural Desert Association, 38 pp.

Benson, N.G. 1953. The importance of ground water to trout populations in the Pigeon River, Michigan. *Trans. N. Am. Wildl. Conf.* 18:269-281.

Benson, L.A., C.E. Braun, and W.C. Leininger. 1991. Proc. Issues and Technology in the Management of Impacted Wildlife, *Thorne Ecol. Inst.* 5:97-104.

Berg, B.P., and R.J. Hudson. 1982. Elk, mule deer, and cattle: Functional interactions on foothills range in southwestern Alberta. *Proc. Wildlife-Livestock Relations Symp.* 10:509-519.

Berkman, H.E., and C.F. Rabeni. 1987. Effect of siltation on stream fish communities. *Env. Biol. Fishes* 18:285-294.

Berry, J.D., and R.L. Eng. 1985. Interseasonal movements and fidelity to seasonal use areas by female sage grouse. *J. Wildl. Manage.* 49:237-240.

Berryman, A.A. 1986. Forest insects: Principles and practice of population management. New York: Plenum Press, 279 pp.

Bestgen, K.R. 1985. Distribution, biology and status of the roundtail chub, *Gila robusta*, in the Gila River Basin, New Mexico. M.S. Thesis, Colorado State University, Ft. Collins, Colorado. 104p.

Bestgen, K.R., and D.L. Propst. 1989. Distribution, status, and notes on the ecology of *Gila robusta* (Cyprinidae) in the Gila River drainage, New Mexico. *Southwestern Naturalist*, 34(3):402-412.

Bestgen, K.R., and M.A. Williams. 1994. Early development and survival of Colorado squawfish. *Trans. Am. Fish. Soc.* 123:574-579.

Bestgen, K.R., G.B. Haines, R. Brunson, T. Chart, M. Trammell, R.T. Muth, G. Birchell, K. Christopherson, and J.M. Bundy. 2002. Status of wild razorback sucker in the Green River Basin, Utah and Colorado, determined from basinwide monitoring and other sampling programs. Final Report, Colorado River Recovery Implementation Program Project No. 22D, Larval Fish Laboratory, Colo. State Univ.

Bezzlerides, N., and K. Bestgen. 2002. Status review of roundtail chub *Gila robusta*, flannelmouth sucker *Catostomus latipinnis*, and bluehead sucker *Catostomus discobolus* in the Colorado River Basin. Final report to U.S. Dept. of Interior, Bureau of Reclamation, Salt Lake City, Utah, 139 pp.

Biggs, M.J., and M.E. Close. 1989. Periphyton biomass dynamics in gravel bed rivers: The relative effects of flows and nutrients. *Freshwater Biol.* 22:209-231.

BLM. No date. Technical basis for infill drilling interim criteria – Northern San Juan Basin of Colorado. Unpublished report, 43 pp.

BLM. 1993. Rangeland reform '94: A proposal to improve management of rangeland ecosystems and the administration of livestock grazing on public lands. Washington: Gov't Printing Office, 31 pp.

BLM. 1997. Shirley Mountain planning review travel management environmental assessment. Rawlins District Office, Rawlins, WY, 20 pp.

Blair, C.L., and F. Schitoskey Jr. 1982. Breeding biology and diet of the ferruginous hawk in South Dakota. *Wilson Bull.* 94:46-54.

- Blus, L.J., C.S. Staley, C.J. Henny, G.W. Pendleton, T.H. Craig, E.H. Craig, and D.K. Halford. 1989. Effects of organophosphorous insecticides on sage grouse in southeastern Idaho. *J. Wildl. Manage.* 53:1139-1146.
- Bock, C.E., J.H. Bock, W.R. Kenney, and V.M. Hawthorne. 1984. Responses of birds rodents, and vegetation to livestock exclosure in a semidesert grassland site. *J. Range Manage.* 37:239-242.
- Bock, C.E., J.H. Bock, and H.M. Smith. 1993a. Proposal for a system of federal livestock exclosures on public rangelands in the western United States. *Conserv. Bio.* 7:731-733.
- Bock, C.E., V.A. Saab, T.D. Rich, and D.S. Dobkin. 1993b. Effects of livestock grazing on neotropical migratory landbirds in western North America. Pp. 296-309 in *Status and management of neotropical migratory birds*, USDA Gen. Tech. Rept. RM-229.
- Bohn, C.C., and J.C. Buckhouse. 1985. Some responses of riparian soils to grazing management in northeastern Oregon. *J. Range Manage.* 38:378-381.
- Boulton, A.J., S.E. Stibbe, N.B. Grimm, and S.G. Fisher. 1991. Invertebrate recolonization of small patches of defaunated hyporheic sediments in a Sonoran Desert stream. *Freshw. Biol.* 26:267-277.
- Bower, M. 2000. Draft summary of 1999 and 2000 fish population sampling in the Muddy Creek watershed of southern Carbon County, Wyoming. Unpublished report of the BLM Rawlins Field Office, 8 pp.
- Brady, W.W., M.R. Stromberg, E.F. Aldon, C.D. Bonham, and S.H. Henry. 1989. Response of a semidesert grassland to 16 years of rest from grazing. *J. Range Manage.* 42:284-288.
- Brattstrom, B.H., and M.C. Bondello. 1983a. The effects of dune buggy sounds on hearing in the Mojave fringe-toed lizard, *Uma scoparia*. Pp. 178-186 in *Environmental effects of off-road vehicles: Impacts and management in arid regions*, R.H. Webb and H.G. Wilshire, eds. New York: Springer-Verlag.
- Brattstrom, B.H., and M.C. Bondello. 1983b. The effect of motorcycle sounds on the emergence of Couch's spadefoot toad, *Scaphiopus couchi*. Pp. 186-192 in *Environmental effects of off-road vehicles: Impacts and management in arid regions*, R.H. Webb and H.G. Wilshire, eds. New York: Springer-Verlag.
- Brattstrom, B.H., and M.C. Bondello. 1983c. The effects of dune buggy sounds on behavioral thresholds of desert kangaroo rats, *Dipodomys deserti*. Pp 192-206 in *Environmental effects of off-road vehicles: Impacts and management in arid regions*, R.H. Webb and H.G. Wilshire, eds. New York: Springer-Verlag.
- Braun, C.E. 1986. Changes in sage grouse lek counts with advent of surface coal mining. *Proc. Issues and Technology in the Management of Impacted Western Wildlife*, Thorne Ecol. Inst. 2:227-231.
- Braun, C.E. 1987. Current issues in sage grouse management. *Proc. West. Assoc. Fish and Wildl. Agencies* 67:134-144.
- Braun, C.E. 1998. Sage grouse declines in western North America: What are the problems? *Proc. Western Assoc. State Fish and Wildl. Agencies* 78:139-156.
- Braun, C.E., O.O. Oedekoven, and C.L. Aldridge. In press. Oil and gas development in western North America: Effects on sagebrush steppe avifauna with particular emphasis on sage grouse. *Trans. N. Am. Wildl. Nat. Res. Conf.* 6, 2002.
- Briske, D.D. 1993. Grazing optimization: A plea for a balanced perspective. *Ecol. Appl.* 3:24-36.
- Brotherson, J.D., and W.T. Brotherson. 1981. Grazing impacts on the sagebrush communities of central Utah. *Great Basin Nat.* 41:335-340.
- Brotherson, J.D., S.R. Rushforth, and J.R. Johansen. 1983. Effects of long-term grazing on cryptogam crust cover in Navajo National Monument, Ariz. *J. Range Manage.* 36:579-581.
- Brum, G.D., R.S. Boyd, and S.M. Carter. 1983. Recovery rates and rehabilitation of powerline corridors. Pp. 303-314 in *Environmental effects of off-road vehicles: Impacts and management in arid regions*, R.H. Webb and H.G. Wilshire, eds. New York: Springer-Verlag.

- Bruns, E.H. 1977. Winter behavior of pronghorns in relation to habitat. *J. Wildl. Manage.* 41:560-571.
- Bryant, L.D. 1982. Response of livestock to riparian zone exclusion. *J. Range Manage.* 35:780-785.
- Bryant, L.D. 1985. Livestock management in the riparian ecosystem. Pp. 285-289 in *Riparian ecosystems and their management: Reconciling conflicting uses*. Proc. 1st N. Am. Riparian Conf., USDA Gen. Tech. Rept. RM-120.
- Bryant, F.C., B.E. Dahl, R.D. Pettit, and C.M. Britton. 1989. Does short-duration grazing work in arid and semiarid regions? *J. Soil & Water Conserv.* 44:290-296.
- Buckhouse, J.C., and G.F. Gifford. 1976. Water quality implications of cattle grazing on a semiarid watershed in southeastern Utah. *J. Range Manage.* 29:109-113.
- Bulkley, R.V., and R. Pimintel. 1983. Temperature preference and avoidance by adult razorback suckers. *Trans. Am. Fish. Soc.* 112:601-607.
- Bull, E.L. 1983. Longevity of snags and their use by woodpeckers. Pp. 64-67 in *Snag habitat management: Proceedings of the symposium*, USDA Forest Service Gen. Tech. Rept. RM-99, 226 pp.
- Bunting, S.C., L.F. Neuenschwander, and G.E. Gruell. 1984. Fire ecology of antelope bitterbrush in the northern Rocky Mountains. Pp. 48-57 in *Fire's effects on wildlife habitat--Symposium proceedings*. USDA Forest Service Gen. Tech. Rept. INT-186, 97 pp.
- Burnham, W.A., and G.L. Holroyd. 1995. Raptor populations: The basis for their management. Pp. 115-130 in *Trans. N. Am. Wildl. & Natur. Resour. Conf.*
- Bury, R.B., and R.A. Luckenbach. 1983. Vehicular recreation in arid land dunes: Biotic responses and management alternatives. Pp. 207-221 in *Environmental effects of off-road vehicles: Impacts and management in arid regions*, R.H. Webb and H.G. Wilshire, eds. New York: Springer-Verlag.
- Butler, G.B. 1972. Ecological inventory and analysis of the Laramie Peak Big Game Winter Range. M.S. Thesis, Univ. of Wyoming, 170 pp.
- Call, M.W. 1974. Habitat requirements and management recommendations for sage grouse. Denver, CO: USDI Tech. Note, 37 pp.
- Call, M.W., and C. Maser. 1985. Wildlife habitat in managed rangelands--The Great Basin of southeastern Oregon: Sage grouse. USDA Gen. Tech. Rept. PNW-187, 29 pp.
- Campbell, T.M. III, and T.W. Clark. 1981. Colony characteristics and vertebrate associates of white-tailed and black-tailed prairie dogs in Wyoming. *Am. Midl. Nat.* 105:269-276.
- Campbell, R.E., M.B. Baker, Jr., P.F. Ffolliott, F.R. Larson, and C.C. Avery. 1977. Wildfire effects on a ponderosa pine ecosystem: An Arizona case study. USDA Forest Service Res. Paper RM-191, 12 pp.
- Campbell, S.E., J.-S. Seeler, and S. Golubic. 1989. Desert crust formation and soil stabilization. *Arid Soil Res. and Rehab.* 3:217-228.
- Case, R.L., and J.B. Kauffman. 1997. Wild ungulate influences on the recovery of willows, black cottonwood and thin-leaf alder following cessation of cattle grazing in northeastern Oregon. *Northw. Sci.* 71:115-126.
- Cassirer, E.F., D.J. Freddy, and E.D. Ables. 1992. Elk responses to disturbance by cross-country skiers in Yellowstone National Park. *Wildl. Soc. Bull.* 20:375-381.
- Cerovski, A., M. Gorges, T. Byer, K. Duffy, and D. Felley, editors. 2001. Wyoming Bird Conservation Plan, Version 1.0. Wyoming Partners in Flight. Wyoming Game and Fish Department, Lander, WY.
- Chambers, C.L., W.C. McComb, and J.C. Tappeiner II. 1999. Breeding bird responses to three silvicultural treatments in the Oregon Coast Range. *Ecol. Appl.* 9:171-185.
- Chart, T.E., and E.P. Bergersen. 1992. Impact of mainstream impoundment on the distribution and movements of the resident flannelmouth sucker (*Catostomus latipinnis*) population in the White River, Colorado. *Southw. Nat.* 37:9-15.
- Chen, J., J.F. Franklin, and T.A. Spies. 1993. Contrasting microclimates among clearcut, edge, and interior of old-growth Douglas fir forest. *Ag. For. Meteor.* 63:219-237.
- Christiansen, T. 2000. Sage grouse in Wyoming: What happened to all the sage grouse? Wyoming Wildlife News 9(5), Cheyenne: Wyoming Game and Fish Department.

- Clark, T.W. 1977. Ecology and ethology of the white tailed prairie dog (*Cynomys leucurus*). Milwaukee Public Museum Publications in Biology and Zoology 3:1-96.
- Clark, T.W., and M.R. Stromberg. 1987. Mammals in Wyoming. Lawrence, KS: University of Kansas Museum of Natural History, 314 pp.
- Clark, T.W., T.M. Campbell III, D.G. Socha, and D.E. Casey. 1982. Prairie dog colony attributes and associated vertebrate species. *Great Basin Nat.* 42:572-582.
- Clary, W.P. 1995. Vegetation and soil responses to grazing simulation on riparian meadows. *J. Range Manage.* 48:18-25.
- Clary, W.P., and D.M. Beale. 1983. Pronghorn reactions to winter sheep grazing, plant communities, and topography in the Great Basin. *J. Range Manage.* 36:749-756.
- Clary, W.P., and R.C. Holmgren. 1982. Observations of pronghorn distribution in relation to sheep grazing on the Desert Experimental Range. *Proc. Wildlife-Livestock Relations Symp.* 10:581-592.
- Clary, W.P., and D.E. Medin. 1990. Differences in vegetation biomass and structure due to cattle grazing in a northern Nevada riparian ecosystem. USDA Res. Paper INT-427, 8 pp.
- Clary, W.P., N.L. Shaw, J.G. Dudley, V.A. Saab, J.W. Kinney, and L.C. Smythman. 1996. Response of a depleted sagebrush steppe riparian system to grazing control and woody plantings. USDA Res. Paper INT-RP-492, 32 pp.
- Clearwater, S.J., B.A. Morris, and J.S. Meyer. 2002. A comparison of coalbed methane product water quality versus surface water quality in the Powder River Basin of Wyoming, and an assessment of the use of standard aquatic toxicity testing organisms for evaluating the potential effects of coalbed methane product waters. Unpublished report to the Wyoming Department of Environmental Quality, May 31, 2002, 131 pp.
- Cline, S.P., and C.A. Phillips. 1983. Coarse woody debris and debris-dependent wildlife in logged and natural riparian zone forests—a western Oregon example. Pp. 33-39 *in* Snag habitat management: Proceedings of the symposium, USDA Forest Service Gen. Tech. Rept. RM-99, 226 pp.
- Cole, E.K., M.D. Pope, and R.G. Anthony. 1997. Effects of road management on movement and survival of Roosevelt elk. *J. Wildl. Manage.* 61:1115-1126.
- Compton, T.L. 1974. Some interspecific relationships among deer, elk, domestic livestock and man on the western Sierra Madre of southcentral Wyoming. PhD Thesis, Univ. of Wyoming, 247 pp.
- Connelly, J.W., and C.E. Braun. 1997. Long-term changes in sage grouse *Centrocercus urophasianus* populations in western North America. *Wildl. Biol.* 3(3/4):229-234.
- Connelly, J.W., H.W. Browsers, and R.J. Gates. 1988. Seasonal movements of sage grouse in southeastern Idaho. *J. Wildl. Manage.* 52:116-122.
- Connelly, J.W., W.L. Wakkinen, A.D. Apa, and K.P. Reese. 1991. Sage grouse use of nest sites in southeastern Idaho. *J. Wildl. Manage.* 55:521-524.
- Connelly, J.W., M.A. Schroeder, A.R. Sands, and C.E. Braun. 2000. Guidelines to manage sage grouse populations and their habitats. *Wildl. Soc. Bull.* 28:967-985.
- Converse, Y.K., C.P. Hawkins, and A. Valdez. 1998. Habitat relationships of subadult humpback chub in the Colorado River through Grand Canyon: Spatial variability and implications of flow regulation. *Regul. Rivers: Res. Mgmt.* 14:267-284.
- Cook, J.G. 1984. Pronghorn winter ranges: Habitat characteristics and a field test of a habitat suitability model. M.S. Thesis, Univ. of Wyoming, 91 pp.
- Cook, J.G. 1990. Habitat, nutrition, and population ecology of two transplanted bighorn sheep populations in southcentral Wyoming. PhD Dissertation, Univ. of Wyoming, 311 pp.
- Cooper, A.B., and J.J. Millsbaugh. 1999. The application of discrete choice models to wildlife resource selection studies. *Ecology* 80(2):566-575.
- Coming, R.V. 2001. An overall look at environmental problems connected with increased coal methane production in the Powder River Basin. Unpublished report to the Wyoming Environmental Quality Council, January 2, 2001, 18 pp.
- Covington, W.W. 1993. Implications for ponderosa pine/bunchgrass ecological systems. Pp. 92-97 *in* Sustainable ecological systems: Implementing an ecological approach to land management. USDA Gen. Tech. Rept. RM-247, 363 pp.

- Crane, K.K. 1994. Habitat selection patterns of feral horses in southcentral Wyoming. M.S. Thesis, Univ. of Wyoming, 82 pp.
- Crocker-Bedford, D.B. 1990. Goshawk reproduction and forest management. *Wildl. Soc. Bull.* 18:262-269.
- Crompton, B.J. 1994. Songbird and small mammal diversity in relation to timber management practices in the northwestern Black Hills. M.S. Thesis, Univ. of Wyoming, 202 pp.
- Cunningham, J.B., R.P. Balda, and W.S. Gaud. 1980. Selection and use of snags by secondary cavity-nesting birds of the ponderosa pine forest. USDA Forest Service Res. Paper RM-222, 15 pp.
- Cully, J.F. Jr. 1991. Response of raptors to reduction of a Gunnison's prairie dog population by plague. *Am. Midl. Nat.* 125:140-149.
- Cully, J.F. Jr., and E.S. Williams. 2001. Interspecific comparisons of sylvatic plague in prairie dogs. *J. Mamm.* 82:894-905.
- Davis, P.R. 1977. Cervid response to forest fire and clearcutting in southeastern Wyoming. *J. Wildl. Manage.* 41:785-788.
- DellaSala, D.A., D.M. Olson, S.E. Barth, S.L. Crane, and S.A. Primm. 1995. Forest health: Moving beyond rhetoric to restore healthy landscapes in the inland Northwest. *Wildl. Soc. Bull.* 23:346-356.
- deMaynadier, P.G., and M.L. Hunter, Jr. 1998. Effects of silvicultural edges on the distribution and abundance of amphibians in Maine. *Conserv. Biol.* 12: 340-352.
- Desmond, M.J., and J.A. Savidge. 1999. Satellite burrow use by burrowing owl chicks and its influence on nest fate. *Studies in Avian Biol.* 19:128-130.
- DeSpain, D.G., and R.E. Sellers. 1977. Natural fire in Yellowstone National Park. *West. Wildl.* 4:20-24.
- Dillon, G.K., and D.H. Knight. In prep. Historic variability for upland vegetation in the Medicine Bow National Forest, Wyoming. Medicine Bow National Forest Report, USFS Agreement #1102-0003-98-043, 124 pp.
- Dion, A. 1998. Vegetation response to slash treatment and soil disturbance after clearcutting in a Rocky Mountain conifer forest. M.A. Thesis, Univ. of Wyoming, 62 pp.
- Douglas, M.E., and P.C. Marsh. 1998. Population and survival estimates of *Catostomus latipinnis* in northern Grand Canyon, with distribution and abundance of hybrids with *Xyrauchen texanus*. *Copeia* 1998:915-925.
- Drut, M.S., W.H. Pyle, and J.A. Crawford. 1994a. Technical note: Diets and food selection of sage grouse chicks in Oregon. *J. Range Manage.* 47:90-93.
- Drut, M.S., J.A. Crawford, and M.A. Gregg. 1994b. Brood habitat use by sage grouse in Oregon. *Great Basin Nat.* 54:170-176.
- Duff, D. A., tech ed. 1996. Conservation assessment for inland cutthroat trout status and distribution. U.S. Department of Agriculture, Forest Service Intermountain Region, Ogden, Utah.
- Dunn, P.O., and C.E. Braun. 1986. Summer habitat use by adult female and juvenile sage grouse. *J. Wildl. Manage.* 50:228-235.
- Eaglin, G.S., and W.A. Hubert. 1993. Effects of logging and roads on substrate and trout in streams of the Medicine Bow National Forest, Wyoming. *N. Am. J. Fish. Manage.* 13:844-846.
- Eckert, R.E. Jr., F.F. Peterson, M.S. Meurisse, and J.L. Stephens. 1986. Effects of soil-surface morphology on emergence and survival of seedlings in big sagebrush communities. *J. Range Manage.* 39:414-420.
- Eckstein, R.G., T.F. O'Brien, O.R. Rongstad, and J.G. Bollinger. 1979. Snowmobile effects on movements of white-tailed deer: A case study. *Environ. Conserv.* 6:45-51.
- Eddleman, L.E., and P.M. Miller. 1992. Potential impacts of western juniper on the hydrologic cycle. Pp. 176-180 in Proc. Symp. on Ecol. and Manage. of Riparian Shrub Communities, USDA Gen. Tech. Rept. INT-289.
- Edge, W.D., and C.L. Marcum. 1991. Topography ameliorates the effects of roads and human disturbance on elk. Proc. Elk Vulnerability Symposium, Bozeman, MT, pp.132-137.
- Elmore, W., and R.L. Beschta. 1987. Riparian areas: Perceptions in management. *Rangelands* 9:260-265.
- Emmons, S.R., and C.E. Braun. 1984. Lek attendance of male sage grouse. *J. Wildl. Manage.* 48:1023-1028.

- Eng, R.L., and P. Schladweiler. 1972. Sage grouse winter movements and habitat use in central Montana. *J. Wildl. Manage.* 36:141-146.
- Espinosa, F.A., J.J. Rhodes, and D.A. McCullough. 1997. The failure of existing plans to protect salmon habitat on the Clearwater National Forest in Idaho. *J. Env. Management* 49(2):205-230.
- Evans, R.D., and J. Belnap. 1999. Long-term consequences of disturbance on nitrogen dynamics in an arid ecosystem. *Ecology* 80:150-160.
- Fertig, W., and G. Beauvais. 1999. Wyoming plant and animal species of special concern. Laramie, WY: Wyoming Natural Diversity Database, 36 pp.
- Fiebig, D.M., and M.A. Lock. 1991. Immobilization of dissolved organic matter from groundwater discharging through the streambed. *Freshw. Biol.* 26:45-55.
- Finch, D.M. 1992. Threatened, Endangered, and vulnerable species of terrestrial vertebrates in the Rocky Mountain region. USDA Gen. Tech. Rept. RM-215, 38 pp.
- Findholt, S.L. 1983. First nest records for the plain titmouse and blue-gray gnatcatcher in Wyoming. *Great Basin Nat.* 43:747-748.
- Findholt, S.L., and S.D. Fitton. 1983. Records of the Scott's oriole from Wyoming. *West. Birds* 14:109-110.
- Fischer, R.A., A.D. Apa, W.L. Wakkinen, and K.P. Reese. 1993. Nesting-area fidelity of sage grouse in southeastern Idaho. *Condor* 95: 1038-1041.
- Fitton, S. 1989. Nongame species accounts: The Utah juniper obligates. Wyoming Game and Fish Dept. Nongame Project Report, Lander, WY, 48 pp.
- Fitton, S.D., and O.K. Scott. 1984. Wyoming's juniper birds. *Western Birds* 15:85-90.
- Flinders, J.T., and R.M. Hansen. 1975. Spring population responses of cottontails and jackrabbits to cattle grazing on shortgrass prairie. *J. Range Manage.* 28:290-293.
- Fleischner, T.L. 1994. Ecological costs of grazing in western North America. *Conserv. Biol.* 8:629-644.
- Ford, T.E., and R.J. Naiman. 1989. Groundwater-surface water relationships in boreal forest watersheds: Dissolved organic carbon and inorganic nutrient dynamics. *Can. J. Fish. Aquat. Sci.* 46:41-49.
- Forrest, S.C., T.W. Clark, L. Richardson, and T.M. Campbell III. 1985. Black-footed ferret habitat: Some management and reintroduction considerations. Wyoming BLM Wildl. Tech. Bull. No. 2, 49 pp.
- Franklin, J.F., D. R. Berg, D.A. Thornburgh, and J.C. Tappeiner. 1997. Alternative silvicultural approaches to timber harvesting: Variable retention harvest systems. Pp. 111-139 in *Creating a forestry for the 21st century*, K.A. Kohm and J.F. Franklin, eds. Washington, DC: Island Press.
- Franklin, A.B., B.R. Noon, and T.L. George. 2002. What is habitat fragmentation? *Studies in Avian Biol.* 25:20-29.
- Franzreb, K.E. 1987. Perspectives on managing riparian ecosystems for endangered bird species. *Western Birds* 18:3-9.
- Franzreb, K.E., and R.D. Ohmart. 1978. The effects of timber harvesting on breeding birds in a mixed-coniferous forest. *Condor* 80:431-441.
- Freddy, D.J., W.M. Bronaugh, and M.C. Fowler. 1986. Responses of mule deer to disturbance by persons afoot and snowmobiles. *Wildl. Soc. Bull.* 14:63-68.
- Frissell, C.A., and D. Bayles. 1996. Ecosystem management and the conservation of aquatic biodiversity and ecological integrity. *J. Am. Water Res. Assn.* 32:229-240.
- Gates, R.J. 1985. Observations of the formation of a sage grouse lek. *Wilson Bull.* 97:219-221.
- GAO. 1988a. Public rangelands: Some riparian areas restored but widespread improvement will be slow. Report No. GAO/RCED-88-105, 85 pp.
- GAO. 1988b. Rangeland management: More emphasis needed on declining and overstocked grazing allotments. Report No. GAO/RCED-88-80, 71 pp.
- Gerhart, W.E., and R.A. Olson. 1982. Handbook for evaluating the importance of Wyoming's riparian habitat to terrestrial wildlife. Cheyenne: Wyoming Game and Fish Dept., 91 pp.

- Germano, G.J., and D.N. Lawhead. 1986. Species diversity and habitat complexity: Does vegetation organize vertebrate communities in the Great Basin? *Great Basin Nat.* 46:711-720.
- Giesen, K.M., and J.W. Connelly. 1993. Guidelines for management of Columbian sharp-tailed grouse habitats. *Wildl. Soc. Bull.* 21:325-333.
- Gifford, G.F., and R.H. Hawkins. 1978. Hydrologic impact of grazing on infiltration: A critical review. *Water Resour. Res.* 14:305-313.
- Gillette, D.A., and J. Adams. 1983. Accelerated wind erosion and prediction of rates. Pp. 97-109 in *Environmental effects of off-road vehicles: Impacts and management in arid regions*, R.H. Webb and H.G. Wilshire, eds. New York: Springer-Verlag.
- Gilmer, D.S., and R.E. Stewart. 1983. Ferruginous hawk populations and habitat use in North Dakota. *J. Wildl. Manage.* 47:146-157.
- Gilmer, D.S., and J.M. Wiehe. 1977. Nesting by ferruginous hawks and other raptors on high voltage powerline towers. *Prairie Nat.* 9:1-10.
- Goldberg, S.R. 1986. Recent capture of a bonytail (*Gila elegans*) and observations from this nearly extinct cyprinid from the Colorado River. *Copeia* 1986:1021-1023.
- Good, R.E., D.P. Young Jr., and J. Eddy. 2001. Distribution of mountain plovers in the Powder River Basin, Wyoming. Report by WEST, Inc. to the Bureau of Land Management, 11 pp.
- Goodrich, J.M., and S.W. Buskirk. 1998. Status and ecology of North American badgers (*Taxidea taxus*) in a prairie-dog (*Cynomys leucurus*) complex. *J. Mamm.* 79:171-179.
- Gorte, R.W. 1995. Forest fires and forest health. Congressional Research Service Report for Congress CRS 95-511 ENR.
- Gorte, R.W. 2000a. Timber harvesting and forest fires. Congressional Research Service Memorandum for Congress, August 22, 2000, 3 pp.
- Gorte, R.W. 2000b. Forest fire protection. Congressional Research Service Report for Congress RL30755, 29 pp.
- Gorte, R.W. 2001. Forest ecosystem health: An overview. Congressional Research Service Report for Congress RS20822. 4 pp.
- Gratson, M.W., and C.L. Whitman, 2000. Road closures and density and success of elk hunters in Idaho. *Wildl. Soc. Bull.* 28(2):302-310.
- Green, G.A., and R.G. Anthony. 1989. Nesting success and habitat relationships of burrowing owls in the Columbia Basin, Oregon. *Condor* 91:347-354.
- Green, D.M., and J.B. Kauffman. 1995. Succession and livestock grazing in a northeastern Oregon riparian ecosystem. *J. Range Manage.* 48:307-313.
- Gregg, M.A., J.A. Crawford, M.S. Drut, and A.K. DeLong. 1994. Vegetational cover and predation of sage grouse nests in Oregon. *J. Wildl. Manage.* 58:162-166.
- Gregory, S.V., F.J. Swanson, W.A. McKee, and K.W. Cummins. 1991. An ecosystem perspective of riparian zones: Focus on links between land and water. *BioScience* 41:540-551.
- Groeneveld, D.P., and T.E. Griepentrog. 1985. Interdependence of groundwater, riparian vegetation, and streambank stability: A case study. Pp. 44-48 in *Riparian ecosystems and their management: Reconciling conflicting uses*. Proc. 1st N. Am. Riparian Conf., USDA Gen. Tech. Rept. RM-120.
- Grover, K.E., and M.J. Thompson, 1986. Factors influencing spring feeding site selection by elk (*Cervus elaphus*) in the Elkhorn Mountains, Montana. *J. Wildl. Manage.* 50(3):466-470.
- Gruell, G.E. 1983. Indian fires in the interior West: A widespread influence. Pp. 68-74 in *Proceedings—Symposium and workshop on wilderness fire*. USDA Forest Service Gen. Tech. Rept. INT-182, 433 pp.
- Gruell, G.E. 1985. Fire on the early Western landscape: An annotated record of wildland fires 1776-1900. *Northw. Sci.* 59:97-107
- Gruell, G., S. Bunting, and L. Neuenschwander. 1984. Influence of fire on curlleaf mountain mahogany in the intermountain West. Pp. 58-72 in *Fire's effects on wildlife habitat—Symposium proceedings*. USDA Forest Service Gen. Tech. Rept. INT-186, 97 pp.
- Haines, G.B., and H.M. Tyus. 1990. Fish associations and environmental variables in age-0 Colorado squawfish habitats, Green River, Utah. *Journal of Freshwater Ecology*, 5:427-435.
- Hamman, R.M. 1982. Spawning and culture of humpback chub. *Progressive Fish-Culturist* 44:213-216.

- Hanley, T.A., and J.L. Page. 1982. Differential effects of livestock use on habitat structure and rodent populations in Great Basin communities. *Calif. Fish and Game* 68:160-173.
- Hansen, R.M., and I.K. Gold. 1977. Blacktail prairie dogs, desert cottontails, and cattle trophic relations on shortgrass range. *J. Range Manage.* 30:210-214.
- Hansen, A.J., and J.J. Rotella. 2000. Bird responses to forest fragmentation. Pp. 201-219 in *Forest fragmentation in the southern Rocky Mountains*, R.L. Knight, F.W. Smith, S.W. Buskirk, W.H. Romme, and W.L. Baker, eds. Boulder: University Press of Colorado.
- Harding, J.S., E.F. Benfield, P.V. Bolstad, G.S. Helfman, and E.D.B. Jones III. 1998. Stream biodiversity: The ghost of land use past. *Proc. Natl. Acad. Sci.* 95:14843-14847.
- Hardy, J.P., R.R. Weedon, and W.R. Bowlin. 1989. Blowout penstemon: Description and present situation. *Proc. N. Am. Prairie Conf.* 11:227-231.
- Hargis, C.D., and J.A. Bissonette. 1997. Effects of forest fragmentation on populations of American marten in the intermountain West. Pp. 437-451 in *Martes: taxonomy, ecology, techniques, and management*, G. Proulx, H.N. Bryant, and P.M. Woodard, eds.
- Harniss, R.O., and R.B. Murray. 1973. 30 years of vegetal change following burning of sagebrush-grass range. *J. Range Manage.* 26:322-325.
- Harr, R.D., and R.L. Fredriksen. 1988. Water quality after logging small watersheds within the Bull Run watershed, Oregon. *Water Res. Bull.* 24:1103-1111.
- Hart, R.H., M.J. Samuel, P.S. Test, and M.A. Smith. 1988. Cattle, vegetation, and economic responses to grazing systems and grazing pressure. *J. Range Manage.* 41:282-286.
- Hart, R.H., S. Clapp, and P.S. Test. 1993a. Grazing strategies, stocking rates, and frequency and intensity of grazing on western wheatgrass and blue grama. *J. Range Manage.* 46:122-126.
- Hart, R.H., J. Bissio, M.J. Bissio, M.J. Samuel, and J.W. Waggoner Jr. 1993b. Grazing systems, pasture size, and cattle grazing behavior, distribution, and gains. *J. Range Manage.* 46:81-87.
- Harvey, A.E., M.F. Jurgenson, and M.J. Larsen. 1980. Clearcut harvesting and ectomycorrhizae: survival of activity on residual roots and influence on a bordering forest stand in western Montana. *Can J. For. Res.* 10:300-303.
- Harvey, A.E., M.F. Jurgenson, and M.J. Larsen. 1981. Organic reserves: Importance to ectomycorrhizae in forest soils of western Montana. *For. Sci.* 3:442-445.
- Harvey, A.E., J.M. Geist, G.I. McDonald, M.F. Jurgenson, P.H. Cochrane, D. Zabowski, and R.T. Meurisse. 1994. Biotic and abiotic processes in eastside ecosystems: The effects of management on soil properties, processes, and productivity. USDA Forest Service Gen. Tech. Rept. PNW-GTR-323, 71 pp.
- Haug, E.A., and A.B. Didiuk. 1993. Use of recorded calls to detect burrowing owls. *J. Field Ornith.* 64:188-194.
- Hawkins, J., T. Modde, and J. Bundy. 2001a. Ichthyofauna of the Little Snake River, Colorado, 1995, with notes on movements of humpback chub. Unpublished report to the US Fish and Wildlife Service, Contribution 125 of the Larval Fish Laboratory, Ft. Collins, CO 52 pp.
- Hawkins, J.A., and J. O'Brien. 2001. Research plan for developing flow recommendations in the Little Snake River, Colorado and Wyoming, for endangered fishes of the Colorado River Basin. Unpublished report to the Recovery Implementation Program for the Endangered Fish Species of the Upper Colorado River Basin, USFWS. Contribution 92 of the Larval Fish Laboratory, Ft. Collins, CO, 94 pp.
- Hawksworth, F.G., and D.W. Johnson. 1989. Biology and management of dwarf mistletoe in lodgepole pine in the Rocky Mountains. USDA Forest Service Gen. Tech. Rept. RM-169, 38 pp.
- Heath, B.J., R. Straw, S.H. Anderson, and J. Lawson. 1997. Sage grouse productivity, survival, and seasonal habitat use near Farson, Wyoming. Unpublished completion report to the Wyoming Game and Fish Department.
- Heiken, D. 1995. Right place—wrong animal: Determining grazing suitability based on desired ecosystem outcomes for the interior Columbia River Basin. Unpublished report of the Association of Forest Service Employees for Environmental Ethics, May 4, 1995, 16 pp.
- Hejl, S.J., R.L. Hutto, C.R. Preston, and D.M. Finch. 1995. Effects of silvicultural treatments in the Rocky Mountains. Pp. 220-244 in *Ecology and management of neotropical migratory birds*, T.E. Martin and D.M. Finch, eds. New York: Oxford University Press.

- Henjum, M.G., J.R. Karr, D.L. Bottom, D.A. Perry, J.C. Bednarz, S.G. Wright, and S.A. Beckwith. 1994. Interim protection for late successional forests, fisheries, and watersheds: National Forests east of the Cascade crest, Oregon and Washington. The Wildlife Soc., Bethesda, Md.
- Hershey, T.J., and T.A. Leege. 1976. Influences of logging on elk on summer range in north-central Idaho. Pp. 73-80 in Proceedings of the elk-logging-roads symposium, Mocsow, ID: Univ. of Idaho.
- Hessburg, P.F., and B.G. Smith. 1999. Management implications of recent changes in spatial patterns of interior Northwest forests. Pp. 55-78 in Trans. 64th N. Am. Wildl. Nat. Res. Conf., R.E. McCabe and S. Loos, eds.
- Hinckley, B.S., R.M. Iverson, and B. Hallet. 1983. Accelerated erosion in ORV-use areas. Pp. 81-96 in Environmental effects of off-road vehicles: Impacts and management in arid regions, R.H. Webb and H.G. Wilshire, eds. New York: Springer-Verlag.
- Hines, T.D., and R.M. Case. 1991. Diet, home range, movements, and activity periods of swift fox in Nebraska. *Prairie Nat.* 23:131-138.
- Hjertaas, D.G. 1997. Recovery plan for the burrowing owl in Canada. *J. Raptor Res. Report* 9:107-111.
- Hodkinson, D.J. and K. Thompson. 1997. Plant dispersal: the role of man. *Journal of Applied Ecology* 34: 1484-1496.
- Holden, P.B., and C.B. Stalnaker. 1975a. Distribution and abundance of mainstream fishes of the middle and upper Colorado River Basins, 1967-1973. *Trans. Am. Fish. Soc.* 104:217-231.
- Holden, P.B., and C.B. Stalnaker. 1975b. Distribution of fishes in the Dolores and Yampa River systems of the upper Colorado Basin. *Southw. Nat.* 19:403-412.
- Holechek, J.L. 1993. Policy changes on federal rangelands: A perspective. *J. Soil and Water Conserv.* 48(3):166-174.
- Holechek, J.L., and T. Stephenson. 1983. Comparison of big sagebrush vegetation in northcentral New Mexico under moderately grazed and grazing excluded conditions. *J. Range Manage.* 36:455-457.
- Holland, E.A., and J.K. Detling. 1990. Plant response to herbivory and belowground nitrogen cycling. *Ecology* 71:1040-1049.
- Holloran, M.J. 1999. Sage grouse (*Centrocercus urophasianus*) seasonal habitat use near Casper, Wyoming. M.S. Thesis, Univ. of Wyoming, 130 pp.
- Holloran, M.J. 2005. Greater sage-grouse (*Centrocercus urophasianus*) population response to natural gas field development in western Wyoming. PhD Dissertation, Univ. of Wyoming, 211 pp.
- Houston, D.B. 1973. Wildfires in northern Yellowstone National Park. *Ecology* 54(5):1111-1117.
- Howard, R.P., and M.L. Wolfe. 1976. Range improvement practices and ferruginous hawks. *J. Range Manage.* 29:33-37.
- Hubbard, R.E., and R.M. Hansen. 1976. Diets of wild horses, cattle, and mule deer in the Piceance Basin, Colorado. *J. Range Manage.* 29:389-392.
- Hubert, W.A., R.P. Lanka, T.A. Wesche, and F. Stabler. 1985. Grazing management influences on two brook trout streams in Wyoming. Pp. 290-294 in Riparian ecosystems and their management: Reconciling conflicting uses. Proc. 1st N. Am. Riparian Conf., USDA Gen. Tech. Rept. RM-120.
- Huff, M.H., R.D. Ottmar, E. Alvarado, R.E. Vihnanek, J.F. Lehmkuhl, P.F. Hessburg, and R.L. Everett. 1995. Historical and current forest landscapes in eastern Oregon and Washington. Part II: Linking vegetation characteristics to potential fire behavior and related smoke production. USDA Forest Service General Technical Report PNW-GTR-355.
- Hulet, B.V., J.T. Flinders, J.S. Green, and R.B. Murray. 1986. Seasonal movements and habitat selection of sage grouse in southern Idaho. Pp. 168-175 in Proceedings—Symposium on the biology of *Artemisia* and *Chrysothamnus*, USDA Gen. Tech. Rept. INT-200.
- Hunter, W.C., R.D. Ohmart, and B.W. Anderson. 1987. Status of breeding riparian-obligate birds in southwestern riverine systems. *Western Birds* 18:10-18.
- Hutto, R.L. 1995. Composition of bird communities following stand-replacement fires in northern Rocky Mountain (USA) conifer forests. *Conserv. Biol.* 9:1041-1058.

- Ingelfinger, F.M. 2001. The effects of natural gas development on sagebrush steppe passerines in Sublette County, Wyoming. M.S. Thesis; Univ. of Wyoming, 110 pp.
- Ingham, R.E., and J.K. Detling. 1984. Plant-herbivore interactions in a North American mixed-grass prairie. III. Soil nematode populations and root biomass on *Cynomys ludovicianus* colonies and adjacent uncolonized areas. *Oecologia* 63:307-313.
- Ireland Group. 1988. Clearcutting as a management practice in Maine forests: Report to the Maine Department of Conservation. Augusta, ME, 98 pp.
- James, D.W., and J.J. Jurinak. 1978. Nitrogen fertilization of dominant plants in the northeastern Great Basin desert. Pp. 219-231 in Nitrogen in desert ecosystems, N.E. West and J. Skujins, eds. Stroudsburg, PA: Dowden, Hutchinson & Ross, Inc.
- James, P.C., and R.H.M. Espie. 1997. Current status of the burrowing owl in North America: An agency survey. *J. Raptor Res. Report* 9:3-5.
- James, P.C., T.J. Ethier, and M.K. Toutloff. 1997. Parameters of a declining burrowing owl population in Saskatchewan. Pp. 34-37 in *The burrowing owl, its biology and management: Proceedings of the first international burrowing owl symposium*. Raptor Research Foundation.
- Jespersion, D.M. 1981. A study of the effects of water diversion on the Colorado River cutthroat trout (*Salmo clarki pleuriticus*) in the drainage of the North Fork of the Little Snake River in Wyoming. M.S. Thesis, Univ. of Wyoming, 99 pp.
- Johansen, J., A. Javakul, and S.R. Rushforth. 1982. Effects of burning on the algal communities of a high desert soil near Wallsburg, Utah. *J. Range Manage.* 35:598-600.
- Johnson, W.M. 1969. Life expectancy of a sagebrush control in central Wyoming. *J. Range Manage.* 22:177-182.
- Johnson, K.L. 1986. Sagebrush over time: A photographic study of rangeland change. Pp. 223-252 in *Proceedings--Symposium on the biology of Artemesia and Chrysothamnus*, USDA Gen. Tech. Rept. INT-200.
- Johnson, J.E. 1991. Management concerns for endangered and threatened species of fish in western warmwater springs and streams. Pp. 160-168 in *Warmwater fishes symposium I*, USDA Forest Service Gen. Tech. Rept. RM-207.
- Johnson, B.S. 1997. Demography and population dynamics of the burrowing owl. *J. Raptor Res. Report* 9:28-33.
- Johnson, B.K., and D. Lockman, 1979. Response of elk during calving to oil/gas drilling activity in Snider Basin, Wyoming. WDFG report, 14 pp.
- Johnson, K., and M. Oberholtzer. 1987. Investigation into possible occurrence of Colorado squawfish (*Ptychocheilus lucius*) and other federally Threatened or Endangered fish species in the lower Green River drainage and the Little Snake River drainage in Wyoming. WDFG Administrative Report, Project No. 5086-13-8601 ad 4486-13-8601, 12 pp.
- Johnson, B., and L. Wollrab, 1987. Response of elk to development of a natural gas field in western Wyoming 1979-1987. WDFG Report, 28 pp.
- Johnson, S.R., H.L. Gary, and S.L. Ponce. 1978. Range cattle impacts on stream water quality in the Colorado Front Range. USDA Res. Note RM-359, 9 pp.
- Johnson, G.D., D.P. Young Jr., W.P. Erickson, C.E. Derby, M.D. Strickland, R.E. Good, and J.W. Kern. 2000. Final Report: Wildlife monitoring studies, SeaWest Windpower Project, Carbon County, Wyoming 1995-1999. Unpublished report to SeaWest Energy Corp. and Rawlins District, Bureau of Land Management, 195 pp.
- Jones, S.R. 1989. Populations and prey selection of wintering raptors in Boulder County, Colorado. *Proc. N. Am. Prairie Conf.* 11:255-258.
- Jones, A. 2000. Effects of cattle grazing on North American arid ecosystems: A quantitative review. *West. N. Am. Nat.* 60:155-164.
- Jones, A.L., and W.S. Longland. 1999. Effects of cattle grazing on salt desert rodent communities. *Am. Midl. Nat.* 141:1-11.
- Julian, T. 1973. The winter of 1971-72 and its effects on the wildlife of District IV. Spot Report of the Wyoming Game and Fish Department, 27 pp.
- Kaeding, L.R. and M.A. Zimmerman. 1983. Life history and ecology of the humpback chub in the Little Colorado and Colorado Rivers of the Grand Canyon. *Transactions of the American Fisheries Society.* 112: 557-594.

- Kaeding, L.R., and D.B. Osmundson. 1988. Interaction of slow growth and increased early-life mortality: An hypothesis on the decline of Colorado squawfish in the upstream reaches of its historic range. *Env. Biol. Fishes* 22:287-298.
- Kaeding, L.R., B.D. Burdick, P.A. Shrader, and C.W. McAda. 1990. Temporal and spatial relations between the spawning of humpback chub and roundtail chub in the Upper Colorado River. *Transactions of the American Fisheries Society*, 19:135-144.
- Karp, C.A. and H.M. Tyus. 1990. Humpback chub (*Gila cypha*) in the Yampa and Green Rivers, Dinosaur National Monument, with observations on roundtail chub (*Gila robusta*) and other sympatric fishes. *Great Basin Naturalist* 50: 257-264.
- Kahn, R., L. Fox, P. Horner, B. Giddings, and C. Roy, tech. eds. 1997. Conservation assessment and conservation strategy for swift fox in the United States. Unpublished report of the Swift Fox Conservation Team, 54 pp.
- Kaltenecker, J.H., M.C. Wicklow-Howard, and R. Rosentreter. 1999. Biological soil crusts in three sagebrush communities recovering from a century of livestock trampling. Pp. 222-226 in *Proceedings: Shrubland ecotones, USDA Forest Service Proceedings RMRS-P-11*.
- Karp, C.A., and H.M. Tyus. 1990. Humpback chub (*Gila cypha*) in the Yampa and Green Rivers, Dinosaur National Monument, with observations on roundtail chub (*G. robusta*) and other sympatric fishes. *Great Basin Nat.* 50:257-264.
- Kauffman, J.B., and W.C. Kreuger. 1984. Livestock impacts on riparian ecosystems and streamside management implications...A review. *J. Range Manage.* 37:430-438.
- Kauffman, J.B., W.C. Kreuger, and M. Vavra. 1983. Effects of late season cattle grazing on riparian plant communities. *J. Range Manage.* 36:685-691.
- Kauffman, J.B., R.L. Beschta, N. Otting, D. Lytjen. 1997. An ecological perspective of riparian and stream restoration in the western United States. *Fisheries* 22(5): 12-24.
- Keller, M.E., and S.H. Anderson, 1992. Avian use of habitat configurations created by forest cutting in southeastern Wyoming. *The Condor* 94:55-65.
- Kerley, L. 1994. Bird responses to habitat fragmentation caused by sagebrush management in a Wyoming sagebrush steppe ecosystem. PhD Dissertation, Univ. of Wyoming, 153 pp.
- Kilgore, D.L. Jr. 1969. An ecological study of the swift fox (*Vulpes velox*) in the Oklahoma Panhandle. *Am. Midl. Nat.* 81:512-534.
- Kindschy, R.R., C. Sundstrom, and J.D. Yoakum. 1982. Wildlife habitats in managed rangelands--The Great Basin of southeastern Oregon: Pronghorns. USDA Gen. Tech. Rept. PNW-145, 18 pp.
- Kipfmüller, K.F., and W.L. Baker. 2000. A fire history of a subalpine forest in south-eastern Wyoming, USA. *J. Biogeog.* 27:71-85.
- Knight, D.H. 1987. Ecosystem studies in the subalpine coniferous forests of Wyoming. Pp. 235-242 in *Management of subalpine forests: Building on 50 years of research*. USDA Forest Service Gen. Tech. Rept. RM-149.
- Knight, D.H., and W.A. Reiners. 2000. Natural patterns in southern Rocky Mountain landscapes and their relevance to forest management. Pp. 15-30 in *Forest fragmentation in the southern Rocky Mountains*, R.L. Knight, F.W. Smith, S.W. Buskirk, W.H. Romme, and W.L. Baker, eds. Boulder: University Press of Colorado.
- Knight, D.H., T.J. Fahey, and S.W. Running. 1985. Water and nutrient outflow from contrasting lodgepole pine forests in Wyoming. *Ecol. Monogr.* 55:29-48.
- Kirsch, L.M., A.T. Klett, and H.W. Miller. 1973. Land use and prairie grouse population relationships in North Dakota. *J. Wildl. Manage.* 37:449-453.
- Klebenow, D.A. 1969. Sage grouse nesting and brood habitat in Idaho. *J. Wildl. Manage.* 33:649-662.
- Klebenow, D.A. 1970. Sage grouse versus sagebrush control in Idaho. *J. Range Manage.* 23:396-400.
- Klebenow, D.A. 1982. Livestock grazing interactions with sage grouse. *Proc. Wildlife-Livestock Relations Symp.* 10:113-123.
- Kleiner, E.F. 1983. Successional trends in an ungrazed, arid grassland over a decade. *J. Range Manage.* 36:114-118.

- Klott, J.H. 1987. Use of habitat by sympatrically occurring sage grouse and sharp-tailed grouse with broods. M.S. Thesis, Univ. of Wyoming, 82 pp.
- Klott, J.H., and F.G. Lindzey. 1989. Comparison of sage and sharp-tailed grouse leks in south central Wyoming. *Great Basin Nat.* 49:275-278.
- Klott, J.H., and F.G. Lindzey. 1990. Brood habitats of sympatric sage grouse and Columbian sharp-tailed grouse in Wyoming. *J. Wildl. Manage.* 54:84-88.
- Knick, S.T., and J.T. Rotenberry. 1995. Landscape characteristics of fragmented shrubsteppe habitats and breeding passerine birds. *Conserv. Biol.* 9:1059-1071.
- Knight, D.H., R.J. Hill, and A.T. Harrison. 1976. Potential natural landmarks in the Wyoming Basin: Terrestrial and aquatic ecosystems. Report to the USDI National Park Service, Contract No. 9900X20047, 229 pp.
- Knopf, F. Personal communication. Telephone conversation of May 5, 2002.
- Knopf, F.L., and B.J. Miller. 1994. *Charadrius montanus* - Montane, grassland, or bare-ground plover? *Auk* 111:504-506.
- Knopf, F.L., and J.R. Rupert. 1996. Reproduction and movements of mountain plovers breeding in Colorado. *Wilson Bull.* 108:28-35.
- Knopf, F.L., J.A. Sedgwick, and R.W. Cannon. 1988. Guild structure of a riparian avifauna relative to seasonal cattle grazing. *J. Wildl. Manage.* 52:280-290.
- Knowles, C.J. 1986. Some relationships of black-tailed prairie dogs to livestock grazing. *Great Basin Nat.* 46:198-203.
- Knowles, C.J. 1999. Selective use of black-tailed prairie dog colonies by mountain plovers—A second look. Unpublished study by FaunaWest Wildlife Consultants for the Hope Stevens Fanwood Foundation, Helena, MT, 11 pp.
- Knowles, C.J., and R.B. Campbell. 1982. Distribution of elk and cattle in a rest-rotation grazing system. *Proc. Wildlife-Livestock Relations Symp.* 10:47-60.
- Knowles, C.J., P. R. Knowles, and D. Hinckley. 1999. The historic and current status of the mountain plover in Montana. Unpublished joint report of FaunaWest Wildlife Consultants and BLM Montana State Office, 47 pp.
- Koch, P. 1996. Lodgepole pine commercial forests: An essay comparing the natural cycle of insect kill and subsequent wildfire with management for utilization and wildlife. USDA Forest Service General Technical Report INT-GTR-342, 24 pp.
- Kochert, M.N. 1989. Responses of raptors to livestock grazing in the western United States. Pp. 194-203 in *Western Raptor Management Symposium and Workshop*, Institute for Wildlife Research Scientific and Technical Series No. 12.
- Koehler, G.M. 1990. Population and habitat characteristics of lynx and snowshoe hares in north central Washington. *Can. J. Zool.* 68:845-851.
- Koehler, G.M., and J.D. Britnell. 1990. Managing spruce-fir habitat for lynx and snowshoe hares. *J. For.* 88(10):10-14.
- Korfanta, N.M., L.W. Ayers, S.H. Anderson, and D.B. McDonald. 2001. A preliminary assessment of burrowing owl status in Wyoming. *J. Raptor Res.* 35:337-343.
- Kotliar, N.B., B.W. Baker, A.D. Whicker, and G. Plumb. 1999. A critical review of assumption of the prairie dog as a keystone species. *Env. Manage.* 24(2):177-192.
- Krueger, K. 1986. Feeding relationships among bison, pronghorn, and prairie dogs: An experimental analysis. *Ecology* 67:760-770.
- Krysl, L.J., M.E. Hubbert, B.F. Sowell, G.E. Plumb, T.K. Jewett, M.A. Smith, and J.W. Waggoner. 1984. Horses and cattle grazing in the Wyoming Red Desert. I. Food habits and dietary overlap. *J. Range Manage.* 37:72-76.
- Lanigan, S.H., and H.M. Tyus. 1989. Population size and status of the razorback sucker in the Green River Basin, Utah and Colorado. *N. Am. J. Fish. Manage.* 9:68-73.
- Lange, R.T. 1969. The Piosphere: Sheep track and dung patterns. *J. Range Manage.* 22:396-400.

- Langner, L.L., and C.H. Flather. 1994. Biological diversity: Status and trends in the United States. USDA Gen. Tech. Rept. RM-244, 24 pp.
- Laun, H.C. 1957. A life history study of the mountain plover, *Eupoda montana*. Townsend on the Laramie Plains, Albany County, Wyoming. M.S. Thesis, Univ. of Wyoming, 67 pp.
- Lawson, H.R., V.J. Tepedino, and T.L. Griswold. 1989. Pollen collectors and other insect visitors to *Penstemon haydenii* s. wats. Proc. N. Am. Prairie Conf. 11:233-
- Laymon, S.A., and M.D. Halterman. 1987. Can the western subspecies of the yellow-billed cuckoo be saved from extinction? *Western Birds* 18:19-25.
- Linder, K.A. 1994. Habitat utilization and behavior of nesting Lewis' woodpeckers (*Melanerpes lewis*) in the Laramie Range, southeastern Wyoming. M.S. Thesis, Univ. of Wyoming, 98 pp.
- Lockwood, J.A., and L.D. DeBrey. 1988. Impact of sedimentation on the aquatic macroinvertebrates of the North Fork of the Little Snake River. Research Project Technical Completion Report USGS G-1459. Laramie, WY: Wyoming Water Research Center, 121 pp.
- Loft, E.R., J.W. Menke, and J.G. Kie. 1991. Habitat shifts by mule deer: The influences of cattle grazing. *J. Wildl. Manage.* 55:16-26.
- Loomis, J.B., E.R. Loft, D.R. Updike, and J.G. Kie. 1991. Cattle-deer interactions in the Sierra Nevada: A bioeconomic approach. *J. Range Manage.* 44:395-399.
- Long, M. 2001. Conference opinion for the Seminole Road Coalbed Methane Pilot Project, Carbon County, Wyoming. U.S. Fish and Wildlife Service Memorandum of May 8, 2001.
- Long, A.J., and L.L. Irwin. 1982. Elk-cattle interactions in the Bighorn Mountains, Wyoming. *Proc. Wildlife-Livestock Relations Symp.* 10:553-564.
- Lowsky, J.F., and R.L. Knight. 2000. Effects of wilderness designation on the landscape structure of a national forest. Pp. 285-309 in *Forest fragmentation in the southern Rocky Mountains*, R.L. Knight, F.W. Smith, S.W. Buskirk, W.H. Romme, and W.L. Baker, eds. Boulder: University Press of Colorado.
- Lyon, A.G. 2000. The potential effects of natural gas development on sage grouse (*Centrocercus urophasianus*) near Pinedale, Wyoming. M.S. Thesis, Univ. of Wyoming, 121 pp.
- Mack, R.N., and J.N. Thompson. 1982. Evolution in steppe with few large, hooved mammals. *Am. Nat.* 119:757-773.
- MacLaren, P.A., S.H. Anderson, and D.E. Runde. 1988. Food habits and nest characteristics of breeding raptors in southwestern Wyoming. *Great Basin Nat.* 48:548-553.
- Madany, M.H., and N.E. West. 1983. Livestock grazing--fire regime interactions within montane forests of Zion National Park, Utah. *Ecology* 64:661-667.
- Maddux, H.R., D.M. Kubly, J.C. deVos, Jr., W.R. Persons, R. Staedicke, and R.L. Wright. 1987. Effects of varied flow regimes on aquatic resources of Glen and Grand Canyons. Final Report to the U.S. Dept. of the Interior, Bureau of Reclamation. Contract 4-AG4-01810. Salt Lake City, UT. 291pp.
- Maddux, H.R., and W.G. Kepner. 1988. Spawning of bluehead sucker in Kanab Creek, Arizona (Pisces: Caotostomidae). *Southw. Nat.* 33:364-365.
- Manfredo, M.J., M. Fishbein, G.E. Haas, and A.E. Watson. 1990. Attitudes toward prescribed fire policies. *J. For.* 88(7): 19-23.
- Manning, J.V. 1981. The use of soil loss tolerances as a strategy for soil conservation. Pp. 337-349 in *Soil conservation: Problems and prospects*, R.P.C. Morgan, ed. New York: John Wiley & Sons.
- Mannan, R.W., and E.C. Meslow. 1984. Bird populations and vegetation characteristics in managed and old-growth forests, northeastern Oregon. *J. Wildl. Manage.* 48:1219-1238.
- Marcot, B.G., M.J. Wisdom, H.W. Li, and G.C. Castillo. 1994. Managing for featured, threatened, endangered, and sensitive species and unique habitats for ecosystem sustainability. USDA Gen. Tech. Rept. PNW-GTR-329, 39 pp.
- Marks, J.S., and V.S. Marks. 1987. Habitat selection by Columbian sharp-tailed grouse in west-central Idaho. Boise: Bureau of Land Management, 115 pp.
- Marlow, C.B., and T.M. Pogacnik. 1985. Time of grazing and cattle-induced damage to streambanks. Pp. 276-284 in *Riparian ecosystems and their management: Reconciling conflicting uses*. Proc. 1st N. Am. Riparian Conf., USDA Gen. Tech. Rept. RM-120.
- Marsh, P.C. 1985. Effect of incubation temperature on survival of embryos of native Colorado River fishes. *Southw. Nat.* 30:129-140.

- Marsh, P.C. 1991. Rediscovery of Colorado squawfish, *Ptychocheilus lucius* (Cyprinidae), in Wyoming. *Copeia* 1991:1091-1092.
- Marsh, P.C. and M.E. Douglas. 1997. Predation by introduced fishes on endangered humpback chub and other native species in the Little Colorado River, Arizona. *Transactions of the American Fisheries Society* 126: 343-346.
- Martin, S.J., and M.H. Schroeder. 1979. Black-footed ferret surveys on coal occurrence areas in south-central Wyoming, February-September 1979. USFWS Final Report, Ft. Collins, CO, 39 pp.
- Mattise, S.N., R.L. Linder, and G.D. Kobriger. 1982. Effects of grazing systems on sharp-tailed habitat. *Proc. Wildlife-Livestock Relations Symp.* 10:124-132.
- Maxell, M.H. 1973. Rodent ecology and pronghorn energy relations in the Great Divide Basin of Wyoming. Ph.D. Thesis, Univ. of Wyoming, 208 pp.
- MBNF. 1985. Land and resource management plan: Medicine Bow National Forest and Thunder Basin National Grassland. USDA Forest Service, Laramie, WY, 295 pp.
- McAda, C.W., C.R. Berry Jr., and C.E. Phillips. 1980. Distribution of fishes in the San Rafael River system of the Upper Colorado River Basin. *Southwestern Naturalist*. 25(1):41-50.
- McAda, C.W., and R.S. Wydoski. 1985. Growth and reproduction of the flannelmouth sucker, *Catostomus latipinnis*, in the upper Colorado River Basin, 1975-76. *Great Basin Nat.* 45:281-286.
- McLean, A., and W. Williams. 1982. Competition between cattle and mule deer on winter range in British Columbia. *Proc. Wildlife-Livestock Relations Symp.* 10:479-484.
- McNay, M.E., and B.W. O'Gara. 1982. Cattle-pronghorn interactions during the fawning season in northwestern Nevada. *Proc. Wildlife-Livestock Relations Symp.* 10:593-606.
- Medin, D.E., and W.P. Clary. 1989. Small mammal populations in a grazed and ungrazed riparian habitat in Nevada. USDA Res. Paper INT-413, 6 pp.
- Meehan, W.R. editor. 1991. Influences of forest and rangeland management on salmonid fishes and their habitats. *American Fisheries Society Special Publication* 19.
- Meeker, J.O. 1982. Interactions between pronghorn antelope and feral horses in northwestern Nevada. *Proc. Wildlife-Livestock Relations Symp.* 10:573-580.
- Miller, R. 1980. The ecology of feral horses in Wyoming's Red Desert. Ph.D. Dissertation, Univ. of Wyoming, 100 pp.
- Miller, R. 1983a. Seasonal movements and home ranges of feral horse bands in Wyoming's Red Desert. *J. Range Manage.* 36:199-201.
- Miller, R. 1983b. Habitat use of feral horses and cattle in Wyoming's Red Desert. *J. Range Manage.* 36:195-199.
- Miller, R.F., and P.E. Wigand. 1994. Holocene changes in semiarid pinyon-juniper woodlands. *BioScience* 44:465-474.
- Miller, B., C. Wemmer, D. Biggins, and R. Reading. 1990. A proposal to conserve black-footed ferrets and the prairie dog ecosystem. *Env. Manage.* 14:763-769.
- Miller, R.F., T.J. Svejcar, and N.E. West. 1994. Implications of livestock grazing in the intermountain sagebrush region: Plant composition. Pp. 101-146 in *Ecological implications of livestock herbivory in the West*, M. Vavra, W.A. Laycock, and R.D. Pieper, eds. Denver: Society for Range Management.
- Millsbaugh, J.J., K.J. Raedecke, G.C. Brundige, and C.C. Willmott, 1998. Summer bed sites of elk (*Cervus elaphus*) in the Black Hills, South Dakota: Considerations for thermal cover management. *Am. Midl. Nat.* 139(1):133-140.
- Minckley, W.L. 1973. *Fishes of Arizona*. Arizona Game and Fish Department. Sims Printing Company, Inc. Phoenix, AZ. 293pp.
- Mladenoff, D.J., M.A. White, J. Pastor, and T.R. Crow. 1993. Comparing spatial pattern in unaltered old-growth and disturbed forest landscapes. *Ecol. Appl.* 3(2):294-306.

- Modde, T. 1996. Juvenile razorback sucker (*Xyrauchen texanus*) in a managed wetland adjacent to the Green River. *Great Basin Nat.* 56:375-376.
- Modde, T., and D.B. Irving. 1998. Use of multiple spawning sites and seasonal movement by razorback suckers in the middle Green River, Utah. *N. Am. J. Fish. Manage.* 18:318-326.
- Molvar, E.M., R.T. Bowyer, and V. van Ballenberghe. 1993. Moose herbivory, browse quality, and nutrient cycling in an Alaskan treeline community. *Oecologia* 94:472-479.
- Moore, R.E., and N.S. Martin. 1980. A recent record of the swift fox (*Vulpes velox*) in Montana. *J. Mamm.* 61:161.
- Morrison, P.H., and F.J. Swanson. 1990. Fire history and pattern in a Cascade Range landscape. USDA Forest Service General Technical Report PNW-GTR-254. 77 pp.
- Morrison, M.L., M.G. Raphael, and R.C. Heald. 1983. The use of high-cut stumps by cavity-nesting birds. Pp. 73-79 in *Snag habitat management: Proceedings of the symposium*, USDA Forest Service Gen. Tech. Rept. RM-99, 226 pp.
- Morton, P. C. Weller and J. Thomson, 2002. Coal bed methane and public lands: How much and at what cost? In: Bryner, G. (Ed.) *Coalbed Methane Development in the Intermountain West*. Natural Resources Law Center, University of Colorado School of Law (pp. 156- 175).
- Muth, R.T., L.W. Crist, K.E. LaGory, J.W. Hayse, K.R. Bestgen, T.P. Ryan, J.K. Lyons, and R.A. Valdez. 2001. Flow and temperature recommendations for endangered fishes in the Green River downstream of Flaming Gorge Dam. P. 13 in *Practical approaches for conserving Native inland fishes of the West: A symposium*, Missoula MT, June 6-8 2001, Missoula: Montana Chapter of the American Fisheries Society.
- Naftz, D.L., D.D. Susong, P.F. Schuster, L.D. Cecil, M.D. Dettinger, R.L. Michael, and C. Kendall. In press. Ice core evidence of rapid air temperature increases since 1960 in alpine areas of the Wind River Range, Wyoming, United States. *J. Geophys. Res.* 107.
- Neilsen, L.S., and C.A. Yde. 1982. The effects of rest-rotation on the distribution of sharp-tailed grouse. *Proc. Wildlife-Livestock Relations Symp.* 10:147-165.
- Niemela, J., D. Langor, and J.R. Spence. 1993. Effects of clear-cut harvesting on boreal ground-beetle assemblages (Coleoptera: Carabidae) in western Canada. *Conserv. Biol.* 7:551-561.
- Niemuth, N. 1992. Use of man-made structures by nesting ferruginous hawks in Wyoming. *Prairie Nat.* 24:43.
- National Marine Fisheries Service (NMFS). 1995. *Biological Opinion on implementation of the interim strategies for managing anadromous fish-producing watersheds in eastern Oregon and Washington, Idaho, and portions of California*. NMFS, Portland, OR.
- Oakleaf, R.J. 1971. The relationship of sage grouse to upland meadows in Nevada. M.S. Thesis, Univ. of Nevada Reno, 64 pp.
- Oakleaf, B., B. Luce, E.T. Thorne, and S. Torbit, eds. 1992. *Black-footed ferret reintroduction, Shirley Basin, Wyoming*. WGFD Annual Completion Report, 1991, 240 pp.
- Oakleaf, B., A.O. Cerovski, and B. Luce. 1996. Mountain plover (*Charadrius montanus*) (SSC4). Pp. 72-73 in *Nongame bird and mammal plan*, Wyoming Game and Fish Department, Cheyenne, WY.
- Oedekoven, O.O., and F.G. Lindzey. 1987. Winter habitat-use patterns of elk, mule deer, and moose in southwestern Wyoming. *Great Basin Nat.* 47:638-643.
- Oberholtzer, M. 1987. A fisheries survey of the Little Snake River drainage, Carbon County, Wyoming. WGFD Admin. Report, Project No. 5086-01-8501, 110 pp.
- Ohmart, R.D. 1996. Historical and present impacts of livestock grazing on fish and wildlife resources in Western riparian habitats. Pp. 245-279 in *Rangeland wildlife*, P.R. Krausman, ed. Denver: Soc. of Range Manage.
- Olendorff, R.R. 1993. Status, biology, and management of ferruginous hawks: A review. *Raptor Res. And Tech. Asst. Ctr., Spec. Rep.*, Bureau of Land Management, Boise, ID, 84 pp.
- Olendorff, R.R., and M.N. Kochert. 1992. *Raptor habitat management on public lands: A strategy for the future*. Bureau of Land Management Report No. BLM/SC/PT-92/009+6635, Boise, ID, 45 pp.

- Olsen, F.W., and R.M. Hansen. 1977. Food relations of wild free-roaming horses to livestock and big game, Red Desert, Wyoming. *J. Range Manage.* 30:17-20.
- O'Meilia, M.E., F.L. Knopf, and J.C. Lewis. 1982. Some consequences of competition between prairie dogs and beef cattle. *J. Range Manage.* 35:580-585.
- Ono, R.D., J.D. Williams, and A. Wagner. 1983. Vanishing fishes of North America. Stone Wall Press, Inc. Washington, D.C. 257p.
- Orabona-Cerovski, A. 1991. Habitat characteristics, population dynamics, and behavioral interactions of white-tailed prairie dogs in Shirley Basin, Wyoming. M.S. Thesis, Univ. of Wyoming, 183 pp.
- Osmundson, D.B., and K.P. Burnham. 1998. Status and trends of the Endangered Colorado squawfish in the upper Colorado River. *Trans. Am. Fish. Soc.* 127:957-970.
- Osmundson, D.B., R.J. Ryel, and T.E. Mourning. 1996. Growth and survival of Colorado squawfish in the upper Colorado River. Final Report, U.S. Fish and Wildlife Service, Grand Junction, CO, 22 pp.
- Osmundson, D.B., M.E. Tucker, and B.D. Burdick. 1997. Non-spawning movements of sub-adult and adult Colorado squawfish in the upper Colorado River. U.S. Fish and Wildlife Service Final Report, Grand Junction, CO, 29 pp.
- Parker, J.M. 2003. The ecology and behavior of the midget faded rattlesnake in Wyoming. PhD Dissertation, Univ. of Wyoming, 123 pp.
- Parker, K.L., C.T. Robbins, and T.A. Hanley. 1984. Energy expenditures for locomotion by mule deer and elk. *J. Wildl. Manage.* 48(2):474-488.
- Parker, M., F.J. Wood Jr., B.H. Smith, and R.G. Elder. 1985. Erosional downcutting in lower order riparian ecosystems: Have historical changes been caused by removal of beaver? Pp. 35-38 in *Riparian ecosystems and their management: Reconciling conflicting uses*. Proc. 1st N. Am. Riparian Conf., USDA Gen. Tech. Rept. RM-120.
- Parrish, T.L., S.H. Anderson, A.W. Anderson, and S. Platt. 1994. Raptor mitigation handbook. Laramie, WY: Wyoming Cooperative Fishery and Wildlife Research Unit, 62 pp.
- Patterson, B.A. 1996. Movements and forest habitat selection of elk in the southeast Bighorn Mountains. M.S. Thesis, Univ. of Wyoming, 83 pp.
- Pavlacky, D.C. Jr. 2000. Avian community ecology in juniper woodlands of southwestern Wyoming: Patterns of landscape and habitat utilization. M.S. Thesis, Univ. of Wyoming, 204 pp.
- Phillips, F.M., L.A. Peters, M.K. Tansey, and S.N. Davis. 1986. Paleoclimatic inferences from an isotopic investigation of groundwater in the central San Juan Basin, New Mexico. *Quaternary Res.* 26:179-193.
- Phillips, F.M., M.K. Tansey, L.A. Peeters, S. Cheng, and A. Long. 1989. An isotopic investigation of groundwater in the central San Juan Basin, New Mexico: Carbon 14 dating as a basis for numerical flow modeling. *Water Resour. Res.* 25:2259-2273.
- Pieper, R.D., and R.K. Heitschmidt. 1988. Is short-duration grazing the answer? *J. Soil & Water Cons.* 43(2):133-137.
- Pimintel, R., and R.V. Bulkley. 1983. Concentrations of total dissolved solids preferred or avoided by Endangered Colorado River fishes. *Trans. Am. Fish. Soc.* 112:595-600.
- Pimintel, D., C. Harvey, P. Resosudarmo, K. Sinclair, D. Kurz, M. McNair, S. Crist, L. Shpritz, L. Fitton, R. Saffouri, and R. Blair. 1995. Environmental and economic costs of soil erosion and conservation benefits. *Science* 267:1117-1122.
- Postovit, H.R., and B.C. Postovit. 1989. Mining and energy development. Proc. Western Raptor Manage. Symp. And Workshop, National Wildlife Federation Scientific and Technical Series 12:167-172.
- Potvin, F., and L. Breton. 1997. Short-term effects of clearcutting on martens and their prey in the boreal forest of western Quebec. Pp. 452-474 in *Martes: taxonomy, ecology, techniques, and management*, G. Proulx, H.N. Bryant, and P.M. Woodard, eds.

- Powell, J.H., and F.G. Lindzey. 2001. 2000 progress report: Habitat use patterns and the effects of human disturbance on the Steamboat elk herd. Unpublished report, Wyoming Cooperative Fish and Wildlife Research Unit, 21 pp.
- Powers, L.R. 1976. Status of nesting ferruginous hawks in the Little Lost River valley and vicinity, southeastern Idaho. *Murrelet* 57:46-47.
- Quigley, T.M., J.M. Skovlin, and J.P. Workman. 1984. An economic analysis of two systems and three levels of grazing on ponderosa pine-bunchgrass range. *J. Range Manage.* 37:309-312.
- Rahel, F.J., and M.A. Bozek. 1989. Habitat requirements of young Colorado River cutthroat trout in relation to alterations in streamflow. Technical Completion Report to the Wyoming Water Research Center #WWRC-89-06, 71 pp.
- Ratti, J.T., and K.P. Reese. 1988. Preliminary test of the ecological trap hypothesis. *J. Wildl. Manage.* 52(3):484-491.
- Reiner, R.J., and P.J. Urness. 1982. Effect of grazing horses managed as manipulators of big game winter range. *J. Range Manage.* 35:567-571.
- Remington, T.E., and C.E. Braun. 1991. How surface coal mining affects sage grouse, North Park, Colorado. *Proc. Issues and Technology in the Management of Impacted Western Wildlife*, Thorne Ecol. Inst. 5:128-132.
- Restani, M. 1991. Resource partitioning among three *Buteo* species in the Centennial Valley, Montana. *Condor* 93:1007-1010.
- Reynolds, H.G. 1966. Use of natural openings in a ponderosa pine forest of Arizona by elk, deer, and cattle. USDA Forest Service Research Note RM-66, 4 pp.
- Reynolds, T.D. 1980. Effects of some different land management practices on small mammal populations. *J. Mammal.* 61:558-561.
- Reynolds, T.D., and C.H. Trost. 1980. The response of native vertebrate populations to crested wheatgrass planting and grazing by sheep. *J. Range Manage.* 33:122-125.
- Reynolds, R.T., and B.D. Linkhart. 1987. The nesting biology of flammulated owls in Colorado. Pp. 239-248 in *Biology and conservation of forest owls: Symposium Proceedings*. USDA Forest Service Gen. Tech. Rept. RM-142, 309 pp.
- Rhodes, J.J., D.A. McCullough, and F.A. Espinosa, Jr. 1994. A coarse screening process for evaluation of the effects of land management activities on salmon spawning and rearing habitat in ESA consultations. CRITFC Technical Report. 94-4, Portland, Or.
- Richens, V.B., and G.R. Lavigne. 1978. Response of white-tailed deer to snowmobiles and snowmobile trails in Maine. *Can. Field-Nat.* 92:334-344.
- Rickard, W.H., and C.E. Cushing. 1982. Recovery of streamside woody vegetation after exclusion of livestock grazing. *J. Range Manage.* 35:360-361.
- Rinne, J.N. 1988. Effects of livestock grazing enclosure on aquatic macroinvertebrates in a montane stream, New Mexico. *Great Basin Nat.* 48:146-153.
- Ripple, W.J., and E.J. Larsen. In press. The role of postfire coarse woody debris in aspen regeneration. *West. J. Appl. For.* 16(2).
- Roath, L.R., and W.C. Kreuger. 1982. Cattle grazing and behavior on a forested range. *J. Range Manage.* 35:332-338.
- Robertson, J.H. 1971. Changes on a sagebrush-grass range in Nevada ungrazed for 30 years. *J. Range Manage.* 34:25-29.
- Rogers, P. 1996. Disturbance ecology and forest management: a review of the literature. USDA Forest Service General Technical Report INT-GTR-336. Ogden, UT:Department of Agriculture, Forest Service, Intermountain Research Station. 16 pp.
- Romme, W.H. 1982. Fire and landscape diversity in subalpine forests of Yellowstone National Park. *Ecol. Monogr.* 52(2):199-221.
- Romme, W.H., and D.H. Knight, 1982. Landscape diversity: The concept applied to Yellowstone National Park. *BioScience* 32(8):664-670.
- Romme, W.H., and D.G. DeSpain. 1989. Historical perspective on the Yellowstone fires of 1988. *BioScience* 39(10):695-699.
- Romme, W.H., M.L. Floyd, D. Hanna, and J.S. Redders. 2000. Using natural disturbance regimes as a basis for mitigating impacts of anthropogenic fragmentation. Pp. 377-400 in *Forest fragmentation in the southern Rocky Mountains*, R.L. Knight, F.W. Smith, S.W. Buskirk, W.H. Romme, and W.L. Baker, eds. Boulder: University Press of Colorado.
- Roppe, J.A., and D. Hein. 1978. Effects of fire on wildlife in a lodgepole pine forest. *Southw. Nat.* 23:279-288.
- Rosenburg, K.V., and M.G. Raphael. 1986. Effects of forest fragmentation on vertebrates in Douglas-fir forests. Pp. 263-272 in *Wildlife 2000: Modeling habitat relationships of terrestrial vertebrates*, J. Verner, M.L. Morrison, and C.J. Ralph, eds.

- Rosentreter, R. 1984. Compositional patterns within a rabbitbrush (*Chrysothamnus*) community of the Idaho Snake River Plain. Pp. 273-277 in Proceedings—Symposium on the biology of *Artemisia* and *Chrysothamnus*, Provo Utah, July 9-13 1984, USDA Forest Service Gen. Tech. Rept. INT-200.
- Rosentreter, R. 1993. Vagrant lichens in North America. *The Bryologist* 96(3):333-338.
- Rosentreter, R. 1997. Conservation and management of vagrant lichens in the northern Great Basin, USA. Pp. 242-248 in Conservation and management of native plants and fungi, T.N. Kaye, A. Liston, R.M. Love, D.L. Luoma, R.J. Meinke, and M.V. Wilson, eds. Corvallis, OR: Native Plant Society of Oregon.
- Rosentreter, R., and D.J. Eldridge. 2002. Monitoring biodiversity and ecosystem function: Grasslands, deserts, and steppe. Pp. 223-237 in Monitoring with lichens—Monitoring lichens, P.L. Nimis, C. Scheidegger, and P.A. Wolseley, eds. Amsterdam: Kluwer Academic Publishers.
- Rosentreter, R., and B. McCune. 1992. Vagrant *Dermatocarpon* in western North America. *The Bryologist* 95(1):15-19.
- Rothwell, R. 1993. Antelope, sage grouse, and neotropical migrants. Pp. 396-401 in Status and management of neotropical migratory birds, USDA Gen. Tech. Rept. RM-229.
- Rowland, M.M., M.J. Wisdom, B.K. Johnson, and J.G. Kie. 2000. Elk distribution and modeling in relation to roads. *J. Wildl. Manage.* 64(3):672-684.
- Ruefenacht, B., and R.L. Knight. 2000. Songbird communities along natural forest edges and forest clear-cut edges. Pp. 249-269 in Forest fragmentation in the southern Rocky Mountains, R.L. Knight, F.W. Smith, S.W. Buskirk, W.H. Romme, and W.L. Baker, eds. Boulder: University Press of Colorado.
- Rychert, R., J. Skujins, D. Sorenson, and D. Porcella. 1978. Nitrogen fixation by lichens and free-living microorganisms in deserts. Pp. 20-30 in Nitrogen in desert ecosystems, N.E. West and J. Skujins, eds. Stroudsburg, PA: Dowden, Hutchinson & Ross, Inc.
- Ryder, T.J. 1983. Winter habitat selection of pronghorn in south-central Wyoming. M.S. Thesis, Univ. of Wyoming, 65 pp.
- Saab, V.A., and J.S. Marks. 1992. Summer habitat use by Columbian sharp-tailed grouse in wetsern Idaho. *Great Basin Nat.* 52:166-173.
- Sackett, S., S. Haase, and M.G. Harrington. 1993. Restoration of southwestern ponderosa pine ecosystems with fire. Pp. 115-121 in Sustainable ecological systems: Implementing an ecological approach to land management. USDA Gen. Tech. Rept. RM-247, 363 pp.
- Sawyer, H. H., F.W. Lindzey, D. McWhirter, and K. Andrews. In press. Potential effects of oil and gas development on mule deer and pronghorn populations in Wyoming. Proc. N. Am. Wildl. Nat. Res. Conf., Dallas TX, 2002.
- Schloemer, R.D. 1991. Prairie dog effects on vegetation and soils derived from shale in Shirley Basin, Wyoming. Ph.D. Dissertation, Univ. of Wyoming, 158 pp.
- Schmid, J.M., and S.A. Mata. 1992. Stand density and mountain pine beetle-caused tree mortality in ponderosa pine stands. USDA Forest Service Res. Note RM-515, 4 pp.
- Schmutz, J.K., and D.J. Hungle. 1989. Populations of ferruginous and Swainson's hawks increase in synchrony with ground squirrels. *Can. J. Zool.* 67:2596-2601.
- Scott, V.E., and J.L. Oldemeyer. 1983. Cavity-nesting bird requirements and response to snag cutting in ponderosa pine. Pp. 19-23 in Snag habitat management: Proceedings of the symposium, USDA Forest Service Gen. Tech. Rept. RM-99, 226 pp.
- Schulz, T.T., and W.C. Leininger. 1990. Differences in riparian vegetation structure between grazed areas and exclosures. *J. Range Manage.* 43:295-299.
- Schumann, P.B. 1977. Preliminary report on thermal tolerance of *Gila robusta*. Pages 302-310 in: Edwin P. Pister, ed. Ninth Annual Symposium of the Desert Fishes Council, Death Valley, California, November 17-18, 1977. Desert Fishes Council, Bishop, CA.
- Schwartz, C.C., J.G. Nagy, and R.W. Rice. 1977. Pronghorn dietary quality relative to forage availability and other ruminants in Colorado. *J. Wildl. Manage.* 41:161-168.
- Sedgwick, J.A., and F.L. Knopf. 1987. Breeding bird response to cattle grazing of a cottonwood bottomland. *J. Wildl. Manage.* 51:230-237.
- Selmants, P.C. 2000. Understory species composition 30-50 years after clearcutting in coniferous forests of southeastern Wyoming. M.S. Thesis, Univ. of Wyoming, 103 pp.
- Sharps, J.C., and D.W. Uresk. 1990. Ecological review of black-tailed prairie dogs and associated species in western South Dakota. *Great Basin Nat.* 50:339-345.

- Shinneman, D.J., and W.L. Baker. 1997. Nonequilibrium dynamics between catastrophic disturbances and old-growth forests in ponderosa pine landscapes of the Black Hills. *Conserv. Biol.* 11:1276-1288.
- Sidle, J.G., M. Ball, D. Weber, T. Byer, D. Peterson, K. Bartosiak, J. Chynoweth, G. Foli, D. Fr ed, R. Nordsven, R. Hodorff, G. Moravek, C. Erickson, R. Peterson, and D. Svingen. No date. Occurrence of burrowing owls in prairie dog towns on Great Plains national grasslands. Unpublished report of the USDA Forest Service, 11 pp.
- Siekert, R.E., Q.D. Skinner, M.A. Smith, J.L. Dodd, and J.D. Rodgers. 1985. Channel response of an ephemeral stream in Wyoming to selected grazing treatments. Pp. 276-278 in *Riparian ecosystems and their management: Reconciling conflicting uses*. Proc. 1st N. Am. Riparian Conf., USDA Gen. Tech. Rept. RM-120.
- Sieg, C.H. 1991. Rocky Mountain juniper woodlands: Year-round avian habitat. USDA Forest Service Research Paper RM-296, 9 pp.
- Sigler, W.F., and R.R. Miller. 1963. *Fishes of Utah*. Utah State Department of Fish and Game, Salt Lake City, UT. 203pp.
- Sigler, W.F., and J.W. Sigler. 1987. *Fishes of the Great Basin: a natural history*. University of Nevada Press, Reno. 406 pp.
- Sigler, W.F., and J.W. Sigler. 1996. *Fishes of Utah: a natural history*. University of Utah Press; Salt Lake City. 375 pp.
- Sisk, T.D., and J. Battin. 2002. Habitat edges and avian ecology: Geographic patterns and insights for western landscapes. *Studies in Avian Biol.* 25:30-48.
- Smith, D.G., and J.R. Murphy. 1978. Biology of the ferruginous hawk in central Utah. *Sociobiol.* 3:79-98.
- Smith, D.G., and J.R. Murphy. 1982. Nest site selection in raptor communities in the eastern Great Basin Desert. *Great Basin Nat.* 42:395-404.
- Smith, D.W., D.A. Hammer, M.H. Schroeder, and S.J. Martin. 1981. Black-footed ferret surveys on coal occurrence areas in south-central Wyoming, June-September 1981. USFWS Final Report, Ft. Collins, CO, 43 pp.
- Smith, D.W., M.H. Schroeder, and S.J. Martin. 1982. Black-footed ferret surveys on coal occurrence areas in south-central Wyoming, July-September 1982. USFWS Final Report, Ft. Collins, CO, 40 pp.
- SNEP. 1997. Status of the Sierra Nevada: The Sierra Nevada Ecosystem Project. D.C. Erman, ed. U.S. Geological Survey Digital Data Series DDS-43.
- Snyder, J.M., and L.H. Wullstein. 1973. The role of desert cryptogams in nitrogen fixation. *Am. Midl. Nat.* 90:257-265.
- States, J.S., and M. Christensen. 2001. Fungi associated with biological soil crusts in desert grasslands of Utah and Wyoming. *Mycologia* 93(3):432-439.
- States, J.S., M. Christensen, and C.L. Kinter. 2001. Soil fungi as components of biological soil crusts. Pp. 155-166 in *Biological soil crusts: Structure, function, and management*, J. Belnap and O.L. Lange, eds. Berlin: Springer-Verlag.
- Steenhof, K., and M.N. Kochert. 1985. Dietary shifts of sympatric buteos during a prey decline. *Oecologia* 66:6-16.
- Steenhof, K., M.N. Kochert, and J.A. Roppe. 1993. Nesting by raptors and common ravens on electrical transmission line towers. *J. Wildl. Manage.* 57:271-281.
- Stephens, S.L. 1998. Evaluation of the effects of silvicultural and fuels treatments on potential fire behavior in Sierra Nevada mixed conifer forests. *For. Ecol. Manage.* 105:21-35.
- Strickland, M.D. 1975. An investigation of the factors affecting the management of a migratory mule deer herd in southeastern Wyoming. PhD Thesis, Univ. of Wyoming, 171 pp.
- Stubbenieck, J., and R.R. Weedon. 1989. Blowouts in the Nebraska Sand Hills: The habitat of *Penstemon haydenii*. Proc. N. Am. Prairie Conf. 11:223-225.
- Stuber, R.J. 1985. Trout habitat, abundance, and fishing opportunities in fenced vs unfenced riparian habitat along Sheep Creek, Colorado. Pp. 310-314 in *Riparian ecosystems and their management: Reconciling conflicting uses*. Proc. 1st N. Am. Riparian Conf., USDA Gen. Tech. Rept. RM-120.
- Sublette, J.E., M.D. Hatch, and M. Sublette. 1990. *The fishes of New Mexico*. University of New Mexico Press, Albuquerque, New Mexico. 393pp.

- Sullivan, T.P., R.A. Lautenschlager, and R.G. Wagner. 1999. Cleacutting and burning of northern spruce-fir forests: Implications for small mammal communities. *J. Appl. Ecol.* 36(3):327-344.
- Suter, G.W. II, and C.L. Tsao. 1996. Toxicological benchmarks for screening potential contaminants of concern for effects on aquatic biota: 1996 revision. Oak Ridge National Laboratory Report to U.S. Department of Energy, Number ES/ER/TM-96/R2.
- Suzuki, K., H. Suzuki, D. Binkley, and T.J. Stohlgren. 1999. Aspen regeneration in the Colorado Front Range: Differences at local and landscape scales. *Landscape Ecol.* 14(3):231-237.
- Sveum, C.M., W.D. Edge, and J.A. Crawford. 1998. Nesting habitat selection by sage grouse in south-central Washington. *J. Range Manage.* 51:265-275.
- Svingen, D., and K. Giesen. 1999. Mountain plover (*Charadrius montanus*) response to prescribed burns on the Comanche National Grassland. *J. Colo. Field Ornithologists* 33(4):208-212.
- Swank, W.T., L.F. DeBano, and D. Nelson. 1989. Effects of timber on soil and water. USDA Forest Service Gen. Tech. Rept. WO-55.
- Taylor, E. 1972. Food habits of the pronghorn antelope in the Red Desert of Wyoming. M.S. Thesis, Univ. of Wyoming, 90 pp.
- Taylor, D.L. 1973. Some ecological implications of forest fire control in Yellowstone National Park. *Ecology* 54:1394-1396.
- Taylor, E. 1975. Pronghorn carrying capacity of Wyoming's Red Desert. Project No. FW-3-R-21, Wyoming Game and Fish Department, 65 pp.
- Taylor, D.M. 1986. Effects of cattle grazing on passerine birds nesting in riparian habitat. *J. Range Manage.* 39:254-257.
- Tewksbury, J.J., A.E. Black, N. Nur, V.A. Saab, B.D. Logan, and D.S. Dobkin. 2002. Effects of anthropogenic fragmentation and livestock grazing on western riparian bird communities. *Studies in Avian Biol.* 25:158-202.
- Thilenius, J.F., and G.R. Brown. 1974. Long-term effects of chemical control of big sagebrush. *J. Range Manage.* 27:223-224.
- Thomas, A., and R. Rosentreter. 1992. Antelope utilization of lichens in the Birch Creek valley of Idaho. Pp. 6-12 in Proc. 15th Biennial Pronghorn Antelope Workshop Rock Springs, WY, June 9-11 1992, E. Raper, ed. Cheyenne, WY: Wyoming Game and Fish Dept.
- Thomas, J.W., D.A. Leckenby, M. Henjum, R.J. Pederson, and L.D. Bryant. 1988. Habitat-effectiveness index for elk on Blue Mountain winter ranges. USDA Forest Service Gen. Tech. Rept. PNW-GTR-218. 25 pp.
- Thompson, C.D. 1984. Selected aspects of burrowing owl ecology in central Wyoming. M.S. Thesis, Univ. of Wyoming, 45 pp.
- Tinnin, R.O. 1984. The effect of dwarf mistletoe on forest community ecology. Pp. 117-122 in *Biology of dwarf Mistletoes: Proceedings of the symposium*, USDA Forest Service Gen. Tech. Rept. RM-111, 131 pp.
- Tyus, H.M. 1990a. Potadromy and reproduction of Colorado squawfish in the Green River Basin, Colorado and Utah. *Trans. Am. Fish. Soc.* 119:1035-1047.
- Tyus, H.M. 1990b. Effects of altered stream flows on fishery resources. *Fisheries* 15(3):18-20.
- Tyus, H.M. 1991. Management of Colorado River fishes. Pp. 175-182 in *Warmwater Fishes Symposium I*, USDA Gen Tech. Rept. RM-207, 407 pp.
- Tyus, H.M. 1998. Razorback sucker (*Xyrauchen texanus*) recovery plan. U.S. Fish and Wildlife Service, Denver, 76 pp.
- Tyus, H.M. 1998b. Early records of the endangered fish *Gila cypha* Miller from the Yampa River of Colorado, with notes on its decline. *Copeia* 1998:190-193.
- Tyus, H.M., and J.M. Lockhart. 1979. The mitigation symposium: A national workshop on mitigating losses of fish and wildlife habitat. Pp. 252-255 in *The mitigation symposium: A national workshop on mitigating losses of fish and wildlife habitats*, USDA Gen. Tech. Rept. RM-65.
- U.S. Army Corps of Engineers. 1998. Draft Environmental Impact Statement: Little Snake Supplemental Irrigation Water Supply.
- USDA. 1898. The Red Desert of Wyoming and its forage resources. USDA Grass and Forage Plant Investigations, Bulletin No. 13, 72 pp.
- USDA. 1995. Initial review of silvicultural treatments and fire effects on Tye Fire. Appendix A, Environmental Assessment of the Bear-Potato analysis area of the Tye Fire, Chelan and Entiat Ranger Districts, Wenatchee National Forest.

- USDA. 2003. Medicine Bow National Forest Draft Environmental Impact Statement for the proposed Revised Land and Resource Management Plan. Laramie, WY: Medicine Bow Nationa
- U.S. Forest Service (USFS) and U.S. Bureau of Land Management (USBLM). 1997. The assessment of ecosystem components in the interior Columbia Basin and portions of the Klamath and Great Basins, Volumes I-IV. PNW GTR 405. USFS. Walla Walla, Washington.
- USFWS. 1990. Humpback chub 2nd revised recovery plan. Regional Office, Region 6, Denver Federal Center, Denver, CO (#809140105 Fish and Wildlife Reference Service, Rockville, MD). 43pp.
- USFWS. 1994. Determination of critical habitat for four Colorado River endangered fishes: Final Rule. Federal Register 59(54):13374-13400.
- USFWS 1998. Razorback sucker (*Xyrauchen texanus*) recovery plan. Regional Office, Region 6, Denver Federal Center, Denver, CO (Fish and Wildlife Reference Service, Rockville, MD). 76pp.
- USFWS. 1999. Endangered and Threatened wildlife and plants: Proposed Threatened status for the mountain plover. Fed. Reg. 64(30):7587-7601.
- USFWS. 1999b. Final Biological Opinion for the Little Snake Supplemental Irrigation Water Supply Project. Denver, CO: U.S. Fish and Wildlife Service, 54 pp.
- USFWS. 2000. Recovery implementation program for Endangered fish species in the Upper Colorado River Basin. Unpublished report of the U.S. Fish and Wildlife Service, 42 pp.
- USGS. 1996. Wyoming gap analysis: A geographic analysis of biodiversity, final report. Unpublished report of the US Geological Survey, Cooperative Agreement No. 14-16-0009-1542, 141 pp.
- Ubico, S.R., G.O. Maupin, K.A. Fagerstone, and R.G. McLean. 1988. A plague épizootic in the white-tailed prairie dogs (*Cynomys leucurus*) of Meteetsee, Wyoming. J. Wildl. Diseases 24:399-406.
- Uresk, D.W., and J.C. Sharps. 1986. Denning habitat and diet of the swift fox in western South Dakota. Great Basin Nat. 46:249-253.
- Vaillancourt, D.A. 1995. Structural and microclimactic edge effects associated with clearcutting in a Rocky Mountain forest. M.A. Thesis, Univ. of Wyoming, 57 pp.
- Valdez, R.A. 1990. Flaming Gorge fluctuations may alter movement of rare fish. P. 9 in Recovery program for the endangered fishes of the upper Colorado, Spring 1990, Colorado Div. of Wildlife, Denver.
- Valdez, R.A., P.G. Mangan, R. Smith, and B. Nilson. 1982. Upper Colorado River fisheries investigations (Rifle, CO to Lake Powell, UT). Pages 100-279 in W.H. Miller, J.J. Valentine, D.L. Archer, H.M. Tyus, R.A. Valdez, and L. Kaeding, eds. Part 2- Field investigation. Colorado River Fishery Project. U.S. Bureau of Reclamation, Salt Lake City, UT.
- Valdez, R.A., W.J. Maslich, and W.C. Leibfried. 1992. Characterization of the life history and ecology of the humpback chub (*Gila cypha*) in the Grand Canyon. Annual Report to Bureau of Reclamation. Bio/West Report No. TR-250-04. 222pp.
- Van Dyke, F.G., R.H. Bocke, H.G. Shaw, B.B. Ackerman, T.P. Hemker, and F.G. Lindzey. 1986. Reactions of mountain lions to logging and human activity. J. Wildl. Manage. 50:95-102.
- Van Dyke, F., and W.C. Klein. 1996. Response of elk to installation of oil wells. J. Mamm. 77(4):1028-1041.
- Van Dyke, F.G., W.C. Klein, and S.T. Stewart. 1998. Long-term range fidelity in Rocky Mountain elk. J. Wildl. Manage. 62(3):1020-1035.
- Vanicek, C.D., and R.H. Kramer. 1969. Life history of the Colorado squawfish, *Ptychocheilus lucius*, and the Colorado chub, *Gila robusta*, in the Green River in Dinosaur National Monument, 1964-1966. Trans. Am. Fish. Soc. 98:193-208.
- Vannote, R.L., and B.W. Sweeney. 1980. Geographic analysis of thermal equilibria: A conceptual model for evaluating the effect of natural and modified thermal regimes on aquatic insect communities. Am. Nat. 115:667-695.
- Vavra, M., T. Hilken, F. Sneva, and J. Skolvin. 1982. Cattle-deer dietary relationships in deer winter ranges in eastern Oregon. Proc. Wildlife-Livestock Relations Symp. 10:485-499.

- Veblen, T. 2000. Disturbance patterns in southern Rocky Mountain forests. In: Forest fragmentation in the southern Rocky Mountains, R.L. Knight, F.W. Smith, S.W. Buskirk, W.H. Romme, and W.L. Baker, eds. Pp. 31-54. Boulder: University Press of Colorado.
- Veblen, T.T., K.S. Hadley, M.S. Reid, and A.J. Rebertus. 1989. Blowdown and stand development in a Colorado subalpine forest. *Can. J. For. Res.* 19:1218-1225.
- Veblen, T.T., K.S. Hadley, M.S. Reid, and A.J. Rebertus. 1991. The response of subalpine forests to spruce beetle outbreak in Colorado. *Ecology* 72(1):213-231.
- Veblen, T.T., K.S. Hadley, E.M. Nel, T. Kitzberger, M. Reid, and R. Villalba. 1994. Disturbance regime and disturbance interactions in a Rocky Mountain subalpine forest. *J. Ecol.* 82:125-135.
- von Ahlefeldt, J., and C. Speas. 1996. Biophysical and historical aspects of species and ecosystems. Unpublished report of the Medicine Bow National Forest, 247 pp.
- Wakkinen, W.L., K.P. Reese, and J.W. Connelly. 1992. Sage grouse nest locations in relation to leks. *J. Wildl. Manage.* 56:381-383.
- Wallestad, R., and D. Pyrah. 1974. Movement and nesting of sage grouse hens in Montana. *J. Wildl. Manage.* 38:630-633.
- Wallestad, R., and P. Schladweiler. 1974. Breeding season movements and habitat selection of male sage grouse. *J. Wildl. Manage.* 38:634-637.
- Wallin, D.O., F.J. Swanson, D. Marks, J.H. Cissel, and J. Kertis, 1996. Comparison of managed and pre-settlement landscape dynamics in forests of the Pacific Northwest, USA. *For. Ecol. Mgmt.* 85:291-309.
- Wallis, C.A., and C.R. Wershler. 1981. Status and breeding of mountain plovers (*Charadrius montanus*) in Canada. *Can. Field-Nat.* 133-136.
- Wallmo, O.C., W.L. Regelin, and D.W. Reichert. 1972. Forage use by mule deer relative to logging in Colorado. *J. Wildl. Manage.* 36:1025-1033.
- Walvoord, M.A., P. Pegram, F.M. Phillips, M. Person, T.L. Kieft, J.K. Fredrickson, J.P. McKinley, and J.B. Swenson. 1999. Groundwater flow and geochemistry in the southeastern San Juan Basin: Implications for microbial transport and activity. *Water Resour. Res.* 35:1409-1424.
- Wamboldt, C.L., and G.F. Payne. 1986. An 18-year comparison of control methods for Wyoming big sagebrush in southwestern Montana. *J. Range Manage.* 39:314-319.
- Wamboldt, C.L. et al. 2002. Conservation of greater sage-grouse on public lands in the western U.S.: Implications of recovery and management practices. Policy Analysis Center for Western Public Lands, Policy Paper SG-02-02.
- Warren, S.D., W.H. Blackburn, and C.A. Taylor, Jr. 1986. Effects of season and stage of rotation cycle on hydrologic condition of rangeland under intensive rotation grazing. *J. Range Manage.* 39:486-491.
- Watts, M.J., and C.L. Wamboldt. 1996. Long-term recovery of Wyoming big sagebrush after four treatments. *J. Env. Manage.* 46:95-102.
- Weatherspoon, C.P., and C.N. Skinner. 1995. An assessment of factors associated with damage to tree crowns from a 1987 wildfire in northern California. *For. Sci.* 41:430-451.
- Webb, R.H. 1983. Compaction of desert soils by off-road vehicles. Pp. 51-79 in *Environmental effects of off-road vehicles: Impacts and management in arid regions*, R.H. Webb and H.G. Wilshire, eds. New York: Springer-Verlag.
- Wei, X., J.P. Kimmins, K. Peel, and O. Steen. 1997. Mass and nutrients in woody debris in harvested and wildfire-killed lodgepole pine forests in the central interior of British Columbia. *Can. J. For. Res.* 27:148-155.
- Weiss, S.J., E.O. Otis, and O.E. Maughan. 1998. Spawning ecology of flannelmouth sucker, *Catostomus latipinnis* (Catostomidae), in two small tributaries of the lower Colorado River. *Env. Biol. Fishes* 52:419-433.
- Welch, A.J. 1968. Livestock grazing effects on all season mule deer ranges. M.S. Thesis, University of Wyoming, 131 pp.
- Welch, B.L. 2002. Bird counts of burned versus unburned big sagebrush sites. USDA Forest Service Res. Note RMRS-RN-16, 6 pp.
- Weller, C., Janice Thomson, P. Morton, and G. Aplet. 2002. Fragmenting our lands: The ecological footprint from oil and gas development. Unpublished report, The Wilderness Society, 24 pp.
- Weltz, M., and M.K. Wood. 1986a. Short duration grazing in central New Mexico: Effects on infiltration rates. *J. Range Manage.* 39:365-368.

- Weltz, M., and M.K. Wood. 1986b. Short-duration grazing in central New Mexico: Effects on sediment production. *J. Soil & Water Conserv.* 41:262-266.
- West, N.E. 1996. Strategies for maintenance and repair of biotic community diversity on rangeland. Pp. 326-346 in *Biodiversity in managed landscapes: Theory and practice*, R.C. Szaro and D.W. Johnston, eds. New York: Oxford University Press.
- WGFD. 1984. Little Snake River water management project, Level III interim wildlife impact report, reservoir options. Cheyenne, WY: Wyoming Game and Fish Department, 24 pp.
- WGFD. 1995. Elements of an adequate cumulative impacts analysis (wildlife). Unpublished report, Sept. 19, 1995, 29 pp.
- WGFD. 1998. Mitigation. Official Policy of the Wyoming Game and Fish Commission, April 28, 1998, Cheyenne WY, 10 pp.
- WGFD. 2000. Minutes of the Sage Grouse Conservation Plan meeting, June 21, 2000, Casper, WY. Cheyenne: Wyoming Game and Fish Department.
- WGFD. 2002. Comments of the Wyoming Game and Fish Department on the Preliminary Draft Management Situation Analysis for the Rawlins Resource Management Plan, August 14, 2002, 10 pp.
- Wheeler, C.A. 1997. Current distributions and distributional changes of fishes in Wyoming west of the Continental Divide. MS Thesis, Univ. of Wyoming, 113 pp.
- White, C.M., and T.L. Thurow. 1985. Reproduction of ferruginous hawks exposed to controlled disturbance. *Condor* 87:14-22.
- Wick, E.J., D.L. Stoneburner, and J.A. Hawkins. 1983. Observations on the ecology of Colorado squawfish (*Ptychocheilus lucius*) in the Yampa River, Colorado, 1982. Water Resources Field Support Laboratory Report No. 83-7, Fort Collins, CO, 55 pp.
- Wiens, J.A. 1973. Pattern and process in grassland bird communities. *Ecol. Monogr.* 43:237-270.
- Wigand, P.E. 1987. Diamond Pond, Harney County, Oregon: Vegetation history and water table in the eastern Oregon desert. *Great Basin Nat.* 47:427-458.
- Wilson, S.M., and A.B. Carey. 2000. Legacy retention versus thinning: Influences on small mammals. *Northw. Sci.* 74(2):131-145.
- Woffinden, N.D., and J.R. Murphy. 1977. Population dynamics of the ferruginous hawk during a prey decline. *Great Basin Nat.* 37:411-428.
- Woffinden, N.D., and J.R. Murphy. 1989. Decline of a ferruginous hawk population: A 20-year summary. *J. Wildl. Manage.* 53:1127-1132.
- Woodward, D.F., R.G. Riley, M.G. Henry, J.S. Meyer, and T.R. Garland. 1985. Leaching of retorted oil shale: Assessing the toxicity to Colorado squawfish, fathead minnows, and two food-chain organisms. *Trans. Am. Fish. Soc.* 114:887-894.
- Yoakum, J. 1986. Use of *Artemisia* and *Chrysothamnus* by pronghorns. Pp. 176-180 in *Proceedings--Symposium on the biology of Artemisia and Chrysothamnus*, USDA Gen. Tech. Rept. INT-200.
- Young, J.A., and R.A. Evans. 1981. Demography and fire history of a western juniper stand. *J. Range Manage.* 34:501-506.
- Young, M.K., R.N. Schmal, T.W. Kohley, and V.G. Leonard. 1996. Conservation status of Colorado River cutthroat trout. USDA Forest Service Gen. Tech. Rept. RM-GTR-282, 32 pp.
- Zemtra, R.S., C. Havstad, and R.L. Cuany. 1983. Reducing seed dormancy in Indian ricegrass (*Oryzopsis hymenoides*). *J. Range Manage.* 36:239-241.
- Zimmerman, G.T., and R.T. Laven. 1984. Ecological interrelationships of dwarf mistletoe and fire in lodgepole pine forests. Pp. 123-131 in *Biology of dwarf mistletoes: Proceedings of the symposium*, USDA Forest Service Gen. Tech. Rept. RM-111, 131 pp.
- Zumbaugh, D.M., J.R. Choate, and L.B. Fox. 1985. Winter food habits of the swift fox on the central High Plains. *Prairie Nat.* 17:41-47.